



# SAFETY DATA SHEET

Revision Date 10/01/2018

REVISION NUMBER: 4

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product name** FS HEAVY CLEAN

### Other means of identification

**Product code** 118510

**UN/ID No.** 3266

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Cleaner/Degreaser.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Rochester Midland Corporation  
155 Paragon Drive  
Rochester, New York 14624 USA

#### **Importer**

Rochester Midland Canada Corporation  
5353 John Lucas Drive  
Suite 103  
Burlington, ON L7L 6G5  
Canada

### Emergency telephone number

#### **EMERGENCY TELEPHONE**

INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

CANUTEC: 613-996-6666

## 2. HAZARDS IDENTIFICATION

### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label elements

#### **Emergency Overview**

**DANGER**

#### **Hazard statements**

Causes severe skin burns and eye damage

May be corrosive to metals



**Appearance** Clear Light yellow liquid.

**Physical state** Liquid

**Odor** Mild Glycol Ether-like odor.

#### Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Keep only in original container

#### Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a POISON CENTER or doctor/physician  
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting  
 Absorb spillage to prevent material damage

#### Precautionary Statements - Storage

Store locked up  
 Store in corrosive resistant container

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

No information available

#### Other Information

**Unknown Acute Toxicity** 4.9% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Sodium Hydroxide	1310-73-2	0.1 - 1	*
2-Butoxyethanol	111-76-2	1 - 5	*
Sodium metasilicate	6834-92-0	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

##### General advice

Immediately call a POISON CENTER or doctor/physician.

##### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

##### Skin contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Ingestion** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

No information available.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** DANGER: Concentrated, alkaline liquid. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Do not reuse container. Read and follow label instructions. Keep out of reach of children.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep/store only in original container. Keep from freezing. Empty containers may retain product residue, follow SDS/label precautions even after container is emptied. Contact with certain food sugars can

release hazardous amounts of carbon monoxide gas in enclosed vessels.

**Incompatible materials**

Do not mix with acidic materials. Neutralizes active ingredients. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters

**Exposure Guidelines**

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
2-Butoxyethanol 111-76-2	TWA: 20 ppm	S* (vacated) S* (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> TWA: 50 ppm TWA: 240 mg/m <sup>3</sup>	700 ppm

Appropriate engineering controls

**ENGINEERING CONTROLS**

General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Showers. Eyewash stations.

Individual protection measures, such as personal protective equipment

**Eye/face protection**

Wear safety glasses or goggles to protect against exposure.

**Skin and body protection**

Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

**RESPIRATORY PROTECTION**

Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved organic vapor respirator.

**General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

<b>Physical state</b>	Liquid	<b>Odor</b>	Mild Glycol Ether-like odor.
<b>Appearance</b>	Clear Light yellow liquid.	<b>Odor threshold</b>	No information available
<b>Color</b>	Light Yellow	<b>Remarks • Method</b>	+/- 0.25 (10% solution) (10.5 - 11.5 @ 1%)
<b>Property</b>	<b>Values</b>		
<b>pH</b>	12.25		
<b>Melting point/freezing point</b>	No information available		
<b>Boiling point / boiling range</b>	No information available		
<b>Flash point</b>	-		None to boiling.
<b>Evaporation rate</b>	No information available		
<b>Flammability (solid, gas)</b>	No information available		
<b>Flammability Limit in Air</b>			
<b>Upper flammability limit:</b>	No information available		
<b>Lower flammability limit:</b>	No information available		
<b>Vapor pressure</b>	No information available		
<b>Vapor density</b>	No information available		
<b>Specific gravity</b>	1.07 - 1.09		
<b>Water solubility</b>	No information available		
<b>Solubility in other solvents</b>	No information available		

**Partition coefficient** No information available  
**Autoignition temperature** No information available  
**Decomposition temperature** No information available  
**Kinematic viscosity** No information available  
**Dynamic viscosity** No information available  
**Explosive properties** No information available  
**Oxidizing properties** No information available

**Other Information**

**Softening point** No information available  
**VOC (EPA METH.24) (G/L):** No information available  
**Density** 8.93 lbs/gal (1.07 kg/l)  
**Bulk density** No information available

**10. STABILITY AND REACTIVITY**

**REACTIVITY**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**CONDITIONS TO AVOID**

Extremes of temperature and direct sunlight.

**Incompatible materials**

Do not mix with acidic materials. Neutralizes active ingredients. Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.

**Hazardous Decomposition Products**

Oxides of Carbon. Oxides of Nitrogen.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

**Product Information** Causes severe skin burns and eye damage.  
**Inhalation** Causes burns.  
**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.  
**Skin contact** Causes burns.  
**Ingestion** Causes burns.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-
2-Butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 220 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h
Sodium metasilicate 6834-92-0	= 600 mg/kg ( Rat )	-	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

PRODUCT COMPOSITION	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3	-	-

**Reproductive Toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 4.9% of the mixture consists of ingredient(s) of unknown toxicity  
**The following values are calculated based on chapter 3.1 of the GHS document .**  
**ATEmix (oral)** 6779 mg/kg  
**ATEmix (dermal)** 18427 mg/kg  
**ATEmix (inhalation-dust/mist)** 36.9 mg/l

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

6.27% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
2-Butoxyethanol 111-76-2	-	2950: 96 h Lepomis macrochirus mg/L LC50 1490: 96 h Lepomis macrochirus mg/L LC50 static	1000: 48 h Daphnia magna mg/L EC50
Sodium metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	-

**Persistence and degradability**  
 No information available.

**Bioaccumulation**

PRODUCT COMPOSITION	Partition coefficient
2-Butoxyethanol 111-76-2	0.81

**Other adverse effects** No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

**14. TRANSPORT INFORMATION**

**DEPT. OF TRANSPORTATION**

**UN/ID No.** 3266  
**Proper shipping name** CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM SILICATE)  
**Hazard Class** 8  
**Packing Group** III  
**Description** 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

**TDG**

**UN/ID No.** 3266  
**Proper shipping name** CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM SILICATE)  
**Hazard Class** 8  
**Packing Group** III  
**Description** 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

**15. REGULATORY INFORMATION**

**International Inventories**

**TSCA** Complies  
**DSL/NDSL** Complies  
**EINECS/ELINCS** Complies  
**ENCS** Complies  
**IECSC** Complies  
**KECL** Complies  
**PICCS** Complies  
**AICS** Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	1.0

**SARA 311/312 Hazard Categories**

**ACUTE HEALTH HAZARD** YES  
**CHRONIC HEALTH HAZARD** No  
**FIRE HAZARD** No  
**Sudden release of pressure hazard** No  
**REACTIVE HAZARD** YES

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Sodium Hydroxide 1310-73-2	1000	

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Sodium Hydroxide 1310-73-2	1706	Listed	Listed
2-Butoxyethanol 111-76-2	0275	Listed	Listed

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION**

**NFPA**

Health hazards 3

Flammability 0

Instability 1

Physical and Chemical Properties CORR

**HMIS**

Health hazards 3

Flammability 0

Physical hazards 1

Personal protection B

Prepared By EH&S DEPARTMENT

Revision Date 10/01/2018

Revision Note

Minor revisions for Canadian GHS compliance.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**\*\*\* END OF SDS \*\*\***