

SAFETY DATA SHEET

1. Identification

Product identifier SULFURIC ACID, REAGENT, 92%, FOR BABCOCK TEST

Other means of identification

Product code 1264

Recommended use manufacture of other chemical products professional, scientific and technical activities: scientific

research and development

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name GFS Chemicals, Inc. **Address** 800 Kaderly Drive

Columbus, OH 43228

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@qfschemicals.com

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, inhalation Category 2

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1
Hazardous to the aquatic environment, acute Category 3

Environmental hazards Hazardous to the aquatic environment,

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Fatal if inhaled. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful

to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Do not breathe vapor. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection. Wear respiratory protection. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear eye protection/face protection.

ResponseIf swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/physician. Wash contaminated clothing before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: SULFURIC ACID, REAGENT, 92%, FOR BABCOCK TEST

Supplemental information 92% of the mixture consists of component(s) of unknown acute dermal toxicity.

1264 Version #: 02 Revision date: November-15-2018 Issue date: February-11-2015 1 / 8

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SULFURIC ACID		7664-93-9	92
WATER		7732-18-5	8

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a physician or poison control center immediately.

Skin contactTake off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse. Remove material from skin immediately.

Eye contactImmediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

present and easy to do. Continue mising. Can a physician or poison control center immediately

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Flood with water. Powder. Foam. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from None known.

the chemical

Special protective equipment and precautions for

firefighters

Fire fighting

equipment/instructions

General fire hazards

Specific methods

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do it without risk. Do not get water inside containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Flood spill with water. This product is miscible in water. Prevent product from entering drains. Should not be released into the environment. Prevent entry into waterways, sewers, basements or confined areas.

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Dilute with plenty of water. Neutralize with lime or soda ash. Flush to sewer if local regulations permit.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Following product recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

1264 Version #: 02 Revision date: November-15-2018 Issue date: February-11-2015 2 / 8

Environmental precautions

Avoid release to the environment. Do not contaminate water. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not allow water to get into container because of a violent reaction. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid prolonged exposure. Observe good industrial hygiene practices. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep the container dry. Store in tightly closed container. Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
SULFURIC ACID (CAS 7664-93-9)	PEL	1 mg/m3

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form	
SULFURIC ACID (CAS	TWA	0.2 mg/m3	Thoracic fraction.	
7664-93-9)				

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	
SULFURIC ACID (CAS	TWA	1 mg/m3	
7664-93-9)			

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s). Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should

be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. An eye wash and safety

shower must be available in the immediate work area.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield. Provide an emergency eye

wash fountain and guick drench shower in the immediate work area.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

> limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with acid gas

cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear, Viscous.

Physical state Liquid. **Form** Liquid. Color Colorless Odor Odorless. **Odor threshold** Not available.

Material name: SULFURIC ACID, REAGENT, 92%, FOR BABCOCK TEST

pН 0.3 - 2.1 1 N sol= 0.3, 0.1 N sol= 1.2, 0.01 N sol= 2.1

1264 Version #: 02 3/8 Melting point/freezing point -4 °F (-20 °C)

Initial boiling point and

boiling range

526.64 °F (274.8 °C) estimated

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure Not available.

Vapor density 3.4

Relative density Not available.

Solubility(ies)

Solubility (water) Miscible, generates much heat

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 1.82 g/cm3

Explosive properties Not explosive.

Molecular formula H2SO4

Molecular formulaH2SO4Molecular weight98.09

Oxidizing properties Not oxidizing.

Specific gravity 1.82

10. Stability and reactivity

Reactivity Reacts violently with strong alkaline substances. This product may react with reducing agents.

Chemical stability Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

Conditions to avoid Exposure to moisture. Exposure to water vapor. Contact with incompatible materials. Do not mix with other chemicals.

Bases. Reducing agents. Contact with metals may evolve flammable hydrogen gas.

Incompatible materials
Hazardous decomposition

Sulfur oxides.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Fatal if inhaled.

Skin contactCauses severe skin burns.Eye contactCauses serious eye damage.IngestionCauses digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Permanent eye damage including blindness could result. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity Fatal if inhaled.

1264 Version #: 02 Revision date: November-15-2018 Issue date: February-11-2015 4 / 8

 ${\it Material name: SULFURIC\ ACID,\ REAGENT,\ 92\%,\ FOR\ BABCOCK\ TEST}$

Product Species Test Results

SULFURIC ACID

Acute

Inhalation

LC50 0.0253 mg/l Guinea pig

347 mg/l

Test Results Components **Species**

SULFURIC ACID (CAS 7664-93-9)

Acute Inhalation

LC50 Guinea pig 0.03 mg/l, 8 Hours

0.018 mg/l, 8 Hours

Rat 347 mg/l, 1 Hours

Skin corrosion/irritation Causes severe skin burns and eye damage.

Rat

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects. Because of the low pH of this product, it would be

expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic

systems.

Product Species Test Results

SULFURIC ACID

Aquatic

LC50 Fish Fish 45.6522 mg/l, 96 hours estimated

Components **Species Test Results**

SULFURIC ACID (CAS 7664-93-9)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) 42 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available. Mobility in soil No data available.

Material name: SULFURIC ACID, REAGENT, 92%, FOR BABCOCK TEST

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

1264 Revision date: November-15-2018 Issue date: February-11-2015 5/8

Version #: 02

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this

material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Neutralize and flush solution into sewer connected to wastewater treatment system in compliance with applicable laws and regulations. Dispose of contents/container

in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Taking into account local regulations the product may be disposed of as waste water

after neutralisation.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1830

UN proper shipping name Sulfuric acid with more than 51 percent acid

Transport hazard class(es)

Class 8 **Subsidiary risk** Label(s) 8 Packing group II

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Special provisions A3, A7, B3, B83, B84, IB2, N34, T8, TP2, TP12

Packaging exceptions 154 Packaging non bulk 202 **Packaging bulk** 242

IATA

UN number UN1830

UN proper shipping name Sulphuric acid with more than 51% acid

Transport hazard class(es)

Class 8 **Subsidiary risk Packing group** ΙΙ **Environmental hazards** No. **ERG Code**

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Other information

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1830

UN proper shipping name SULPHURIC ACID with more than 51% acid

Transport hazard class(es)

Class 8 **Subsidiary risk Packing group** ΙΙ **Environmental hazards** Marine pollutant No.

EmS F-A, S-B

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Not established. Transport in bulk according to

Annex II of MARPOL 73/78

and the IBC Code

1264 Version #: 02 6/8

Material name: SULFURIC ACID, REAGENT, 92%, FOR BABCOCK TEST



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

SULFURIC ACID (CAS 7664-93-9)

Listed.

SARA 304 Emergency release notification

SULFURIC ACID (CAS 7664-93-9)

1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)	
--------------------------	------------------------------------	--	--	--	--

SULFURIC ACID 7664-93-9 1000 1000

SARA 311/312

Yes

Hazardous chemical

Acute toxicity (any route of exposure)

categories

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Classified hazard

Chemical name	CAS number	% by wt.	
SULFURIC ACID	7664-93-9	92	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) Section 112(r) (40 CFR

Hazardous substance

68.130)

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

SULFURIC ACID (CAS 7664-93-9)

6552

1264 Version #: 02 7/8

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

SULFURIC ACID (CAS 7664-93-9) 20 %WV

DEA Exempt Chemical Mixtures Code Number

SULFURIC ACID (CAS 7664-93-9) 6552

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date February-11-2015 **Revision date** November-15-2018

Version # 02

Disclaimer The information given is designed only as a guidance for safe handling, use, processing, storage

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

1264 Version #: 02 Revision date: November-15-2018 Issue date: February-11-2015 8 / 8