Product Information



Methylcarbamyl PAF C-16

Item No. 60908

CAS Registry No.: 91575-58-5

Formal Name: 1-O-hexadecyl-2-O-(N-methylcarbamoyl)-

sn-glyceryl-3-phosphorylcholine

MF: $C_{26}H_{55}N_2O_7P$

FW: 538.7 **Purity:** ≥98%

Stability: ≥1 year at -20°C Supplied as: A solution in ethanol

Laboratory Procedures

For long term storage, we suggest that methylcarbamyl PAF C-16 be stored as supplied at -20°C. It will be stable for at least one year.

Methylcarbamyl PAF C-16 is supplied as a solution in ethanol. To change the solvent, simply evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as DMSO and dimethyl formamide purged with an inert gas can be used. The solubility of methylcarbamyl PAF C-16 in these solvents is approximately 25 mg/ml.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. If an organic solvent-free solution of methylcarbamyl PAF C-16 is needed, it can be prepared by evaporating the ethanol and directly dissolving the neat oil in aqueous buffers. The solubility of methylcarbamyl PAF C-16 in PBS (pH 7.2) is approximately 25 mg/ml. We do not recommend storing the aqueous solution for more than one day.

Methylcarbamyl PAF C-16 is a stable analog of PAF C-16 with a half-life greater than 100 minutes in platelet poor plasma due to its resistance to degradation by PAF-AH.^{1,2} It is nearly equipotent with PAF C-16 in its ability to induce platelet aggregation both in isolated platelets and in platelet-rich plasma.1 In NRK-49 cells overexpressing the PAF receptor, both PAF C-16 and methylcarbamyl PAF C-16 cause the induction of c-myc and c-fos and the activation of mitogen-activated protein kinase.² Methylcarbamyl PAF C-16 induces G1 phase cell cycle arrest, suggesting a potential role for PAF in the inhibition of oncogenic transformation.2

References

- 1. Hadváry, P., Cassal, J.-M., Hirth, G., et al. Structural requirements for the activation of blood platelets by analogues of platelet-activating factor (PAF-acether). Platelet-Activating Factor INSERM Symposium 23, 57-64 (1983).
- 2. Kume, K. and Shimizu, T. Platelet-activating factor (PAF) induces growth stimulation, inhibition, and suppression of oncogenic transformation in NRK cells overexpressing the PAF receptor. J. Biol. Chem. 272, 22898-22904 (1997).

Related Products

For a list of related products please visit: www.caymanchem.com/catalog/60908

WARNING: This product is for laboratory research only: not for administration to humans. Not for human or veterinary DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until information to the contrary becomes available. Do not ingest, swallow, or inhale. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. This information contains some, but not all, of the information required for the safe and proper use of this material. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Cayman Chemical Company makes **no warranty or guarantee** of any kind, whether written or oral, expressed or implied, including without limitation, any warranty of fitness for a particular purpose, suitability and merchantability, which extends beyond the description of the chemicals hereof. Cayman **warrants only** to the original customer that the material will <u>meet our specifications</u>

purpose, suitability and merchantability, which extends beyond the description of the chemicals hereof. Cayman warrants only to the original customer that the material will meet our specifications at the time of delivery.

Cayman will carry out its delivery obligations with due care and skill. Thus, in no event will Cayman have any obligation or liability, whether in tort (including negligence) or in contract, for any direct, indirect, incidental or consequential damages, even if Cayman is informed about their possible existence.

This limitation of liability does not apply in the case of intentional acts or negligence of Cayman, its directors or its employees.

Buyer's exclusive remedy and Cayman's sole liability hereunder shall be limited to a refund of the purchase price, or at Cayman's option, the replacement, at no cost to Buyer, of all material that does not meet our specifications.

Said refund or replacement is conditioned on Buyer giving written notice to Cayman within thirty (30) days after arrival of the material at its destination. Failure of Buyer to give said notice within thirty (30) days after arrival of the material at its destination. Failure of Buyer to give said notice within thirty (30) days after arrival of the material at its destination. Failure of Buyer to give said notice within thirty (30) days after arrival of the material at its destination.

thirty (30) days shall constitute a waiver by Buyer of all claims hereunder with respect to said material.

For further details, please refer to our Warranty and Limitation of Remedy located on our website and in our catalog.

Cayman Chemical

Mailing address

1180 E. Ellsworth Road Ann Arbor, MI 48108 USA

Phone

(800) 364-9897 (734) 971-3335

(734) 971-3640

custserv@caymanchem.com

Copyright Cayman Chemical Company, 02/05/2014

www.caymanchem.com