

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier TETRAHYDROFURAN, HPLC** 

Other means of identification

**Product code** 2492 Synonym(s) THF

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name GFS Chemicals, Inc. **Address** P.O. Box 245

> Powell OH 43065

US

740-881-5501 **Telephone** Phone

> Toll Free 800-858-9682 740-881-5989 Fax

Website www.gfschemicals.com E-mail service@gfschemicals.com

**Emergency phone Emergency Assistance** Chemtrec 800-424-9300

number

# 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 2 **Health hazards** Acute toxicity, oral Category 4 Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A Carcinogenicity Category 2

Specific target organ toxicity, single exposure Category 2 (nervous system)

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation Specific target organ toxicity, repeated Category 1 (kidney, liver, nervous system)

exposure

OSHA hazard(s) Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Suspected of causing cancer. May cause damage to

organs (nervous system). Causes damage to organs (kidney, liver, nervous system) through

prolonged or repeated exposure.

**Precautionary statement** 

**Prevention** 

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only outdoors or in a well-ventilated area. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting equipment. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

Material name: TETRAHYDROFURAN, HPLC SDS US 2492 Version #: 02 1/9

**Response** In case of fire: Use appropriate media for extinction. Eliminate all ignition sources if safe to do so.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Rinse mouth. If skin irritation occurs: Get medical

advice/attention. If eye irritation persists: Get medical advice/attention.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep

cool. Store locked up.

**Disposal** Dispose of contents/container to an approved incineration plant.

Hazard(s) not otherwise classified (HNOC)

Static accumulating flammable liquid

**Supplemental information** 

**Hazard statement** Static accumulating flammable liquid can become electrostatically charged even in bonded and

grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

Precautionary statement Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. These alone may be insufficient to remove static electricity.

# 3. Composition/information on ingredients

#### **Substances**

| Hazardous components |                          |                   |     |  |
|----------------------|--------------------------|-------------------|-----|--|
| Chemical name        | Common name and synonyms | <b>CAS</b> number | %   |  |
| TETRAHYDROFURAN      | THF                      | 109-99-9          | 100 |  |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

**Inhalation** Move to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell.

**Skin contact**Take off immediately all contaminated clothing. Wash off with soap and plenty of water. If skin

irritation occurs: Get medical advice/attention.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Most important symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

General information

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed. Provide general supportive measures and treat symptomatically.

changes. Edema. Liver enlargement. Jaundice. Proteinuria. Irritant effects. Prolonged exposure

Irritation of eyes and mucous membranes. Narcosis. Decrease in motor functions. Behavioral

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention. Wash contaminated

clothing before reuse.

may cause chronic effects.

## 5. Fire-fighting measures

**Suitable extinguishing media** Water, Water fog, Carbon dioxide (CO2), Dry chemical powder, carbon dioxide, sand or earth may

be used for small fires only. Alcohol resistant foam. Powder.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. By heating and fire, harmful vapors/gases may be formed.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Material name: TETRAHYDROFURAN, HPLC
2492 Version #: 02 Revision date: October-21-2013 Issue date: June-07-2013 2 / 9

In the event of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove all possible sources of ignition in the surrounding area. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Wear appropriate personal protective equipment.

# Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Should not be released into the environment. This product is miscible in water. Prevent entry into waterways, sewers, basements or confined areas.

Large Spills: Stop leak if you can do so without risk. Soak up with inert absorbent material. Dike the spilled material, where this is possible. Use clean non-sparking tools to collect absorbed material. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Place all material into loosely covered plastic containers for later disposal. Following product recovery, flush area with water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS.

#### **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

# 7. Handling and storage

## **Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Vapors may form explosive mixtures with air. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code". DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Use personal protective equipment as required. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in cool place. Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a well-ventilated place. Keep container tightly closed. Keep in an area equipped with sprinklers. Keep out of the reach of children. Store in a cool, dry place out of direct sunlight.

# 8. Exposure controls/personal protection

## **Occupational exposure limits**

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)** 

| Material                          | Туре | Value     |  |
|-----------------------------------|------|-----------|--|
| TETRAHYDROFURAN (CAS<br>109-99-9) | PEL  | 590 mg/m3 |  |

Material name: TETRAHYDROFURAN, HPLC
2492 Version #: 02 Revision date: October-21-2013 Issue date: June-07-2013 3 / 9

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Material                              | Туре           | Value     |  |
|---------------------------------------|----------------|-----------|--|
|                                       |                | 200 ppm   |  |
| <b>US. ACGIH Threshold Limit Valu</b> | es             |           |  |
| Material                              | Туре           | Value     |  |
| TETRAHYDROFURAN (CAS 109-99-9)        | STEL           | 100 ppm   |  |
|                                       | TWA            | 50 ppm    |  |
| <b>US. NIOSH: Pocket Guide to Che</b> | emical Hazards |           |  |
| Material                              | Туре           | Value     |  |
| TETRAHYDROFURAN (CAS 109-99-9)        | STEL           | 735 mg/m3 |  |
| ,                                     |                | 250 ppm   |  |
|                                       | TWA            | 590 mg/m3 |  |
|                                       |                | 200 ppm   |  |

## **Biological limit values**

## **US. ACGIH. BEIs. Biological Exposure Indices**

| Material             | Value  | Determinant     | Specimen | Sampling Time |
|----------------------|--------|-----------------|----------|---------------|
| TETRAHYDROFURAN (CAS | 2 mg/l | Tetrahydrofuran | Urine    | *             |
| 109-99-9)            |        |                 |          |               |

<sup>\* -</sup> For sampling details, please see the source document.

## **Exposure guidelines**

#### **US. ACGIH Threshold Limit Values**

TETRAHYDROFURAN (CAS 109-99-9) Can be absorbed through the skin.

**Appropriate engineering** 

controls

Explosion-proof general and local exhaust ventilation. Provide eyewash station.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing. Wear protective gloves.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. If ventilation is not

sufficient to effectively prevent buildup of aerosols or vapors, appropriate NIOSH/MSHA respiratory

protection must be provided.

Thermal hazards Not available.

**General hygiene** considerations

When using, do not eat, drink or smoke. Avoid contact with eyes. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Handle in accordance with good

industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Appearance** Clear. **Physical state** Liquid. **Form** Liquid. Color Colorless. Odor Ether-like. **Odor threshold** Not available. Not available.

Melting point/freezing point -162.9 °F (-108.3 °C) Initial boiling point and

boiling range

149 °F (65 °C) 101.325 kPa

Flash point 5.90 °F (-14.50 °C) Closed Cup

-4.00 °F (-20.00 °C) Open Cup

**Evaporation rate** 8 BuAc

Flammability (solid, gas) Not applicable.

2492 Version #: 02  Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit -

upper (%)

< 11.8

**Explosive limit - lower** 

Not available.

(%)

**Explosive limit - upper** 

(%) Vapor pressure Not available.

21.6 kPa at 25 °C

2.56 Vapor density

Not available. **Relative density** Miscible Solubility(ies) **Partition coefficient** 0.5

(n-octanol/water)

609.8 °F (321 °C) **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 0.89 g/cm3 estimated

**Dynamic viscosity** 0.53 mPa.s **Dynamic viscosity** 68 °F (20 °C)

temperature

Flammability class Flammable IB estimated

Flash point class Flammable IB **Molecular formula** C4-H8-O Molecular weight 72.11 g/mol **Percent volatile** 100 %

Specific gravity 0.8892 at 20 °C

# 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Risk of explosion. Material is stable under normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** Heat, flames and sparks. Avoid temperatures exceeding the flash point.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

Irritants. Nitrogen oxides (NOx). Carbon oxides. Hydrocarbons.

## 11. Toxicological information

## Information on likely routes of exposure

Ingestion Harmful if swallowed.

Inhalation May cause irritation to the respiratory system.

Skin contact Not available.

**Eye contact** Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Narcosis. Edema. Liver enlargement. Jaundice. Proteinuria. Behavioral changes. Decrease in motor

functions. Irritant effects.

## Information on toxicological effects

**Acute toxicity** Harmful if swallowed.

**Product Species Test Results** 

TETRAHYDROFURAN (CAS 109-99-9)

**Acute** Dermal

LD50 Rabbit 2100 mg/kg

Material name: TETRAHYDROFURAN, HPLC SDS US 5/9 2492 Version #: 02 Revision date: October-21-2013 Issue date: June-07-2013

| Product    | roduct Species Test Results |                             |
|------------|-----------------------------|-----------------------------|
| Inhalation |                             |                             |
| LC50       | Rat                         | 18000 - 22000 mg/l, 4 Hours |
|            |                             | 80975 mg/l, 1 Hours         |
|            |                             | 62000 mg/l, 2 Hours         |
|            |                             | 21000 mg/l, 3 Hours         |
|            |                             | 18000 - 22000 mg/l, 4 Hours |
| LD50       | Mouse                       | 6700 mg/l, 30 Minutes       |
| Oral       |                             |                             |
| LD50       | Rat                         | 1650 mg/kg                  |
| Other      |                             |                             |
| LD50       | Mouse                       | 1900 mg/kg                  |
|            | Rat                         | 2900 mg/kg                  |
|            |                             |                             |

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

**Respiratory sensitization** Due to lack of data the classification is not possible.

Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Suspected of causing cancer.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity Respiratory tract irritation. May cause damage to organs (nervous system).

- single exposure

Specific target organ toxicity - repeated exposure

Causes damage to organs (kidney, liver, nervous system) through prolonged or repeated exposure.

**Aspiration hazard** Due to lack of data the classification is not possible.

**Chronic effects** Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated

exposure.

# 12. Ecological information

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

| Product         |                | Species                              | Test Results               |
|-----------------|----------------|--------------------------------------|----------------------------|
| TETRAHYDROFURAN | (CAS 109-99-9) |                                      |                            |
| Aquatic         |                |                                      |                            |
| Crustacea       | LC50           | Water flea (Daphnia magna)           | > 10000 mg/l, 24 hours     |
| Fish            | LC50           | Carp (Leuciscus idus melanotus)      | 2930 mg/l, 48 hours        |
|                 |                |                                      | 2820 mg/l, 48 hours        |
|                 |                | Fathead minnow (Pimephales promelas) | 1970 - 2360 mg/l, 96 hours |
|                 |                |                                      | 1970 - 2360 ma/l, 96 hours |

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability None known. **Bioaccumulative potential** Not available.

Partition coefficient n-octanol / water (log Kow)

0.46

Mobility in soil Not available. Other adverse effects Not available.

SDS US 2492 Version #: 02 6/9

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Not available.

**Hazardous waste code** D001: Waste Flammable material with a flash point <140 F

Waste from residues / Di unused products pr

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

#### DOT

**UN number** UN2056

**UN proper shipping name** Te

Tetrahydrofuran

**Transport hazard class(es)** 3

**Subsidary class(es)** Not available.

Packing group II

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

user

Labels required 3

Special provisionsIB2, T4, TP1Packaging exceptionsNonePackaging non bulk202Packaging bulk242

**IATA** 

UN number UN2056

**UN proper shipping name** Tetrahydrofuran

Transport hazard class(es) 3
Subsidary class(es) Packaging group II
Environmental hazards No

**Labels required** Not available.

ERG Code 3H

**Special precautions for** Not available.

user

**TMDG** 

UN number UN2056

UN proper shipping name TETRAHYDROFURAN

Transport hazard class(es) 3
Subsidary class(es) Packaging group II
Environmental hazards

Marine pollutant No

Labels requiredNot available.EmSF-E, S-DSpecial precautions forNot available.

user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

Material name: TETRAHYDROFURAN, HPLC
2492 Version #: 02 Revision date: October-21-2013 Issue date: June-07-2013 7 / 9



## IATA; IMDG



# 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

TETRAHYDROFURAN (CAS 109-99-9) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

**SARA 311/312** Yes

Hazardous chemical
Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

**DEA Exempt Chemical Mixtures Code Number** 

Not regulated.

Food and Drug
Administration (FDA)

Not regulated.

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**US. Massachusetts RTK - Substance List** 

TETRAHYDROFURAN (CAS 109-99-9)

**US. New Jersey Worker and Community Right-to-Know Act** 

Not regulated.

Material name: TETRAHYDROFURAN, HPLC
2492 Version #: 02 Revision date: October-21-2013 Issue date: June-07-2013 8 / 9

# **US. Pennsylvania RTK - Hazardous Substances**

TETRAHYDROFURAN (CAS 109-99-9)

## **US. Rhode Island RTK**

TETRAHYDROFURAN (CAS 109-99-9)

## **US. California Proposition 65**

# US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

## **International Inventories**

| Country(s) or region  | Inventory name   | On inventory (yes/no)* |  |  |
|---|--|------------------------|--|--|
| Australia   | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |  |  |
| Canada  | Domestic Substances List (DSL)   | Yes                    |  |  |
| Canada  | Non-Domestic Substances List (NDSL)                                    | No                     |  |  |
| China   | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |  |  |
| Europe  | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |  |  |
| Europe  | European List of Notified Chemical Substances (ELINCS)                 | No                     |  |  |
| Japan   | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |  |  |
| Korea   | Existing Chemicals List (ECL)  | Yes                    |  |  |
| New Zealand   | New Zealand Inventory  | Yes                    |  |  |
| Philippines   | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |  |  |
| United States & Puerto Rico   | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |  |  |
| *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s) |  |                        |  |  |

# 16. Other information, including date of preparation or last revision

Issue dateJune-07-2013Revision dateOctober-21-2013

Version # 02

**Further information** Not available.

**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently

available. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

Material name: TETRAHYDROFURAN, HPLC
2492 Version #: 02 Revision date: October-21-2013 Issue date: June-07-2013 9 / 9