

# TCI AMERICA SAFETY DATA SHEET

Revision number: 1 Revision date: 07/06/2018

## 1. IDENTIFICATION

Product name: Styrene (stabilized with TBC)

Product code: S0095

Product use: For laboratory research purposes.

Restrictions on use: Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail:

sales-US@TCIchemicals.com www.TCIchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies:

Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.)

+1-703-527-3887 (International) Responsible department:

TCI America

Environmental Health Safety and Security

+1-503-286-7624

#### 2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Inhalation [Category 4] WHMIS 2015: Skin Corrosion/Irritation [Category 2]

HMIS 2015: Skin Corrosion/Irritation [Category 2]
Eye Damage/Irritation [Category 2A]
Germ Cell Mutagenicity [Category 2]

Germ Cell Mutagenicity [Category 2]
Toxic to Reproduction [Category 1B]

Specific Target Organ Toxicity (Single Exposure) [Category 1] Specific Target Organ Toxicity (Single Exposure) [Category 3] Specific Target Organ Toxicity (Repeated Exposure) [Category 1]

Aspiration Hazard [Category 1] Flammable Liquids [Category 3] Aquatic Hazard (Acute) [Category 2]

Signal word: Danger!

Hazard Statement(s): Flammable liquid and vapor

Harmful if inhaled
Causes skin irritation
Causes serious eye irritation

Suspected of causing genetic defects
May damage fertility or the unborn child
May be fatal if swallowed and enters airways

Toxic to aquatic life

Causes damage to: Central Nervous System

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure: Liver Blood System Respiratory

System Nervous System Auditory System

Pictogram(s) or Symbol(s):



Precautionary Statement(s): [Prevention]

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist, vapors or spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves, protective clothing, face protection.

[Response] If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. If on skin: Wash with

plenty of soap and water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If exposed: Call a poison center or doctor. In

case of fire: Use dry chemical, dry sand or foam to extinguish.

[Storage] Store in a well-ventilated place. Keep container tightly closed. Store locked up.

[Disposal] Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40

CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).

Hazards not otherwise classified:

[HNOC]

May cause polymerization. May form explosive peroxides. May be harmful if swallowed.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture: Substance

Components: Styrene (stabilized with TBC)

 Percent:
 >99.0%(GC)

 CAS RN:
 100-42-5

 Molecular Weight:
 104.15

 Chemical Formula:
 C8H8

Synonyms: Styrol (stabilized with TBC), Vinylbenzene (stabilized with TBC)

Stabilizers: 4-tert-butylcatechol

## 4. FIRST-AID MEASURES

Description of first aid measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician.

Skin contact: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.

Call a POISON CENTER or doctor/physician.

**Eye contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Call a POISON CENTER or doctor/physician.

Ingestion: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Symptoms/effects:

Acute: Cough. Redness.

Delayed: Carcinogenic to humans. May cause heritable genetic damage in humans. May have effects on the

respiratory tract.

Indication of any immediate medical attention:

Not available.

Notes to physician:
No data available

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media: Water (It may scatter and spread fire.)

Specific hazards arising from the

chemical:

This substance may polimerize explosively when heated or involved in a fire. Container may explode

when heated. Combat fire from a sheltered position.

Hazardous combustion products:

These products include: Carbon oxides

Other specific hazards:

Closed containers may explode from heat of a fire.

Advice for firefighters: Wear self-contained breathing apparatus if possible.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be

controlled around the leakage area by roping off, etc.

Environmental precautions:

Prevent product from entering drains.

Methods and materials for containment

and cleaning up:

Absorb spilled material in dry sand or inert absorbent before recovering it into a covered container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

Prevention of secondary hazards:

Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.

#### 7. HANDLING AND STORAGE

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent Precautions for safe handling:

generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands

and face thoroughly after handling.

Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated.

Avoid all contact!

Confirm in advance if peroxides exist when operations involving heating such as distillation are carried

out.

#### Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in an explosion-poof refregerator. Storage conditions:

Store under inert gas. Store locked up.

Store away from incompatible materials such as oxidizing agents.

Heat-sensitive Light-sensitive Air-sensitive

Comply with laws. Packaging material:

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure limits:** 

ACGIH TLV(TWA): 20 ppm ACGIH TLV(STEL): 40 ppm OSHA PEL(TWA): 200 ppm OSHA PEL(CL): 200 ppm 600 ppm/5M/3H OSHA PEL(PK): JSOH OELs(TWA): 50 ppm, 2B Carcinogen

Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed Appropriate engineering controls:

system or local exhaust. Also install safety shower and eye bath.

Personal protective equipment

Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Respiratory protection:

Use respirators approved under appropriate government standards and follow local and national

regulations.

Hand protection: Impervious gloves.

Safety goggles. A face-shield, if the situation requires. Eye protection:

Skin and body protection: Impervious protective clothing. Protective boots, if the situation requires.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Liquid Form: Clear Colorless Colour:

No data available Odour: Odor threshold: No data available No data available Odour threshold:

Melting point/freezing point: -31°C (-24°F) pH: No data available 145°C (293°F) Boiling point/range: Vapour pressure: No data available.

**Decomposition temperature:** No data available Vapour density: 3.6 No data available

Relative density: 0.91

Kinematic viscosity: No data available

Log Pow: Evaporation rate(Butyl No data available No data available

Acetate=1):

32°C (90°F) Autoignition temperature: 490°C (914°F) Flash point:

Flammability(solid, gas): No data available Flammability or explosive limits:

> 0.9% Lower: Upper: 6.8%

**Dynamic Viscosity:** 

Solubility(ies):

Insoluble (0.03g/100mL, 25°C) [Water]

Other solvents

Miscible: Ether, Alcohols

Benzene, Acetone, Toluene, Carbon tetrachloride, Petroleum ether, Carbon disulfide, Heptane Soluble:

#### 10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: Polymerization may occur under the influences of heat, light or on contact with polymerization initiators

such as peroxides etc. May form explosive peroxides.

Possibility of hazardous reactions: No special reactivity has been reported.

Conditions to avoid: Heat, Spark, Open flame, Static discharge, Air, Light

Incompatible materials: Oxidizing agents, Copper, Copper alloys Hazardous decomposition products: Oxidizing agents, Copper, Copper alloys Carbon dioxide, Carbon monoxide

## 11. TOXICOLOGICAL INFORMATION

RTECS Number: WL3675000

**Acute Toxicity:** 

ihl-hmn LCLo:10000 ppm/30M ihl-rat TCLo:5460 mg/m³/1H orl-mam LD50:>1500 mg/kg orl-rat LD50:5000 mg/kg

Skin corrosion/irritation:

skn-rbt 500 mg open MLD skn-hmn 500 mg rinse

Serious eye damage/irritation:

eye-rbt 100 mg/24H MOD

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

dni-hmn-hla 28 mmol/L mmo-ham-lng 240umol/plate(+S9)

mmo-sat 1 umol/plate (-S9)

Carcinogenicity:

ihl-rat TCLo:100ppm/4H/5D/1Y-1 orl-rat TDLo:1520 mg/kg/43W-l

IARC: Group 2B (Possibly carcinogenic NTP: No data available OSHA: Listed, OSHA Known

to humans).

Reproductive toxicity:

ihl-rat TCLo:1500 ug/m³/24H (1-22D preg) orl-rat TDLo:8600 mg/kg (1-22D preg/21D post)

**Aspiration hazard:** May be fatal if swallowed and enters airways.

Target organ(s):

Causes damage to: Central Nervous System

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure: Liver Blood System Respiratory System Nervous System Auditory System

Carcinogen

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** 

Fish: No data available
Crustacea: No data available
Algae: No data available

Persistence / degradability: 100% (by BOD), 100% (by GC)

Bioaccumulative potential(BCF): 13.5

Mobility in soil

Log Pow:2.95Soil adsorption (Koc):960Henry's Law (PaM³/mol):0.3

## 13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and

Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for

Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not

be allowed to enter the environment, drains, water ways, or the soil. Dispose of as unused product. Do not re-use empty containers.

Other considerations: Observe all federal, state and local regulations when disposing of the substance.

#### 14. TRANSPORT INFORMATION

Disposal of container:

DOT (US)

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN2055 Styrene monomer, stabilized 3 Flammable liquid

<u>IATA</u>

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN2055 Styrene monomer, stabilized 3 Flammable liquid III

<u>IMDG</u>

UN UN2055 Proper Shipping Name: Class or Division: Packing Group:

numb Styrene monomer, stabilized 3 Flammable liquid III

er:

EmS number: F-E, S-D

Reportable Quantitiy: 1000 Pounds (454 Kilograms)

## 15. REGULATORY INFORMATION

#### Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

## **US Federal Regulations**

**CERCLA Hazardous substance and Reportable Quantity:** 

SARA 313: Listed SARA 302: Not Listed

State Regulations
State Right-to-Know

Massachusetts
New Jersey
Pennsylvania
California Proposition 65:
Listed
Listed
Not Listed

Other Information

NFPA Rating:
Health: 2
Flammability: 3
Instability: 0
HMIS Classification:
Health: 2
Flammability: 3
Flammability: 3
Physical: 0

International Inventories

 Canada: DSL
 On DSL

 EC-No:
 202-851-5

## 16. OTHER INFORMATION

Revision date: 07/06/2018 Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.