PRODUCT INFORMATION

H_oN



Zoniporide (hydrochloride)

Item No. 16004

| CAS Registry No.: | 241800-97-5 | O / MH_2 |
|-------------------|-------------------------------------|------------|
| Formal Name: | N-(aminoiminomethyl)-5-cyclopropyl- | N N |
| | 1-(5-quinolinyl)-1H-pyrazole-4- | |
| | carboxamide, monohydrochloride | |
| Synonym: | CP 597,396 | N +HCI |
| MF: | $C_{17}H_{16}N_6O \bullet HCI$ | |
| FW: | 356.8 | |
| Purity: | ≥98% | |
| Supplied as: | A crystalline solid | |
| Storage: | -20°C | |
| Stability: | ≥2 years | ~ IN |
| | | |

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Zoniporide (hydrochloride) is supplied as a crystalline solid. A stock solution may be made by dissolving the zoniporide (hydrochloride) in the solvent of choice. Zoniporide (hydrochloride) is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF), which should be purged with an inert gas. The solubility of zoniporide (hydrochloride) in ethanol is approximately 1 mg/ml and approximately 10 mg/ml in DMSO and DMF.

Zoniporide (hydrochloride) is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, zoniporide (hydrochloride) should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. Zoniporide (hydrochloride) has a solubility of approximately 0.5 mg/ml in a 1:1 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

The sodium-hydrogen exchanger isoform-1 (NHE-1) is the most predominant isoform of the Na⁺/H⁺ exchanger and is expressed in the heart where it contributes to cardiomyocyte pH homeostasis.¹ It plays an important role in the myocardial response to ischemia-reperfusion. Zoniporide inhibits human NHE-1 with an IC_{50} value of 14 nM, displaying greater than 150-fold selectivity over other NHE isoforms.² It has been shown to reduce infarct size in a rabbit myocardial ischemia-reperfusion model without adversely affecting hemodynamics or cardiac function.¹ In isolated heart, zoniporide reduced infarct size with an EC₅₀ value of 0.25 nM.²

References

- 1. Masereel, B., Pochet, L., and Laeckmann, D. An overview of inhibitors of Na⁺/H⁺ exchanger. Eur. J. Med. Chem. 38(6), 547-554 (2003).
- 2. Tracey, W.R., Allen, M.C., Frazier, D.E., et al. Zoniporide: A potent and selective inhibitor of the human sodium-hydrogen exchanger isoform 1 (NHE-1). Cardiovasc. Drug Rev. 21(1), 17-32 (2003).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/20/2017

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM