

SAFETY DATA SHEET

1. Identification

Product identifier IODINE, 99.99+%

Other means of identification

3568 **Product code**

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

manufacture of chemicals and chemical products

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

GFS Chemicals, Inc. Company name **Address** P.O. Box 245 Powell, OH 43065

United States

Telephone Phone 740-881-5501

> Toll Free 800-858-9682 740-881-5989

Website www.gfschemicals.com service@gfschemicals.com E-mail

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazards Oxidizing solids Category 2 **Health hazards** Acute toxicity, dermal Category 4 Acute toxicity, inhalation Category 4 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1 Specific target organ toxicity, repeated Category 2 exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May intensify fire; oxidizer. Harmful in contact with skin. Causes severe skin burns and eye

damage. May cause an allergic skin reaction. Causes serious eye damage. Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very

Category 1

toxic to aquatic life with long lasting effects.

Precautionary statement

Keep away from clothing and other combustible materials. Take any precaution to avoid mixing **Prevention**

with combustibles. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment. Keep away from heat. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Material name: IODINE, 99.99+%

3568 Version #: 04 1/8 Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to

extinguish. Collect spillage.

Storage Store locked up.

Disposal Dispose of contents/container to an approved waste disposal plant.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
IODINE		7553-56-2	100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before Skin contact

removing clothes. Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a

physician. Wash contaminated clothing before reuse.

Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Headache. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Irritation of nose and throat. Prolonged exposure may cause

chronic effects.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Take off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Use extinguishing agent suitable for type of surrounding fire. Water fog. Foam. Dry chemical

powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed. Irritating and toxic gases or fumes may be released during a fire.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do it without risk. Move containers from fire area if you can do so without risk. Use water spray to cool

unopened containers.

Specific methods Cool containers exposed to flames with water until well after the fire is out. **General fire hazards** May intensify fire; oxidizer. Contact with combustible material may cause fire.

Material name: IODINE, 99.99+%

3568 Version #: 04 2/8

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Should not be released into the environment. This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water. Prevent entry into waterways, sewers, basements or confined areas. Stop leak if you can do so without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Sweep up or gather material and place in appropriate container for disposal. Minimize dust generation and accumulation. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Wear appropriate protective equipment and clothing during clean-up. Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Keep away from heat. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Do not get in eyes, on skin, or on clothing. Avoid breathing dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	туре	Value	
IODINE (CAS 7553-56-2)	Ceiling	1 mg/m3	
		0.1 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Material	Туре	Value	
IODINE (CAS 7553-56-2)	Ceiling	1 mg/m3	
		0.1 nnm	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protectionWear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier. Frequent change is advisable.

Material name: IODINE, 99.99+%

3568 Version #: 04 Revision date: February-02-2015 Issue date: October-26-2012 3 / 8

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator must be worn if Respiratory protection

exposed to dust.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Provide eyewash station and safety shower.

9. Physical and chemical properties

Flakes. **Appearance Physical state** Solid. **Form** Solid. Color Dark violet. Odor Pungent. **Odor threshold** Not available.

Нq 5.4 Saturated solution 236.66 °F (113.7 °C) Melting point/freezing point Initial boiling point and 363.92 °F (184.4 °C)

boiling range

Flash point Not Flammable **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Not available.

Flammability limit - lower

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure Not available.

8.8 Vapor density

Relative density Not available.

Solubility(ies)

Solubility (water) $0.1 \, g/l$ **Partition coefficient** 2.5 (n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 4.93 g/cm3 estimated

Dynamic viscosity 2.27 mPa.s **Dynamic viscosity** 240.8 °F (116 °C)

temperature

Kinematic viscosity

0.4605 mm²/s estimated

Molecular formula I2

Molecular weight 253.81 g/mol 4.93 at 25 °C Specific gravity

10. Stability and reactivity

Reactivity Greatly increases the burning rate of combustible materials.

Material is stable under normal conditions. **Chemical stability**

Material name: IODINE, 99.99+%

3568 Version #: 04 Revision date: February-02-2015 Issue date: October-26-2012 4/8 Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Heat. High temperatures. Contact with incompatible materials.

Incompatible materials Hazardous decomposition Combustible material. Reducing agents. Ammonia.

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contactCauses severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.

Eye contactCauses serious eye damage. **Ingestion**Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Headache. Causes serious eye damage. Symptoms

may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage

including blindness could result. Irritation of nose and throat.

Information on toxicological effects

Acute toxicity Harmful if inhaled. Harmful in contact with skin. May cause an allergic skin reaction.

Product	Species	Test Results	
IODINE (CAS 7553-56-2)			
Acute			
Oral			
LD50	Mouse	22 g/kg	
	Rabbit	10 g/kg	
	Rat	14 g/kg	

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes severe skin burns and eye damage.

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. **Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated

exposure.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Product		Species	Test Results
IODINE (CAS 7553-56-2)			
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.48 - 0.58 mg/l, 96 hours
			0.48 - 0.58 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Material name: IODINE, 99.99+%

3568 Version #: 04 Revision date: February-02-2015 Issue date: October-26-2012 5 / 8

Partition coefficient n-octanol / water (log Kow)

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this

material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

14. Transport information

DOT

UN3495 **UN number**

UN proper shipping name Iodine, MARINE POLLUTANT

Transport hazard class(es)

Class

Subsidiary risk 6.1(PGIII) Label(s) 8, 6.1 Packing group III

Environmental hazards

Marine pollutant Yes

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

IB8, IP3, T1, TP33 Special provisions

Packaging exceptions 154 Packaging non bulk 213 Packaging bulk 240

IATA

UN number UN3495 **UN** proper shipping name Iodine

Transport hazard class(es)

Class

6.1(PGIII) **Subsidiary risk Packing group** III**Environmental hazards** No. **ERG Code**

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Other information

Cargo aircraft only Allowed.

IMDG

UN3495 **UN number**

UN proper shipping name IODINE, MARINE POLLUTANT

Allowed.

Transport hazard class(es)

Class

Subsidiary risk 6.1(PGIII) **Packing group**

Environmental hazards

Marine pollutant Yes **EmS** F-A, S-B

Material name: IODINE, 99.99+%

3568 Version #: 04 Revision date: February-02-2015 Issue date: October-26-2012 6/8 Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

user

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

DOT



IATA; IMDG



Marine pollutant



General information DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Material name: IODINE, 99.99+%

3568 Version #: 04 7/8

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. **(SDWA)**

` _ ´ _

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

IODINE (CAS 7553-56-2) 2.2 %WV

DEA Exempt Chemical Mixtures Code Number

IODINE (CAS 7553-56-2) 6699

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

IODINE (CAS 7553-56-2)

US. New Jersey Worker and Community Right-to-Know Act

IODINE (CAS 7553-56-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Inventory name

IODINE (CAS 7553-56-2)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Australian Inventory of Chemical Substances (AICS)

On inventory (yes/no)*

International Inventories

Auctralia

Country(s) or region

Australia	Australian inventory of Chemical Substances (AICS)	res
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

16. Other information, including date of preparation or last revision

Issue dateOctober-26-2012Revision dateFebruary-02-2015

Version # 04

Disclaimer The information given is designed only as a quidance for safe handling, use, processing, storage

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. GFS Chemicals cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Revision Information This document has undergone significant changes and should be reviewed in its entirety.

Material name: IODINE, 99.99+%

3568 Version #: 04 Revision date: February-02-2015 Issue date: October-26-2012 8 / 8

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).