

# SAFETY DATA SHEET

# 1. Identification

Product identifier	CERIC SULFATE SOLUTION, 0.4 N
Other means of identification	
Product code	1983
Recommended use	professional, scientific and technical activities: other professional, scientific and technical activities
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Supplier/Distributor information	

Manufacturer		
Company name Address	GFS Chemicals, Inc. P.O. Box 245 Powell, OH 43065	
Telephone	United States Phone Toll Free Fax	740-881-5501 800-858-9682 740-881-5989
Website E-mail	www.gfschemicals.com service@gfschemicals.com	
Emergency phone number	Emergency Assistance	Chemtrec 800-424-9300

### 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Causes severe skin burns and eye damage. Causes serious eye damage.
Precautionary statement	
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	17.5% of the mixture consists of component(s) of unknown acute oral toxicity. 25% of the mixture consists of component(s) of unknown acute dermal toxicity. 17.5% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 17.5% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

## **3.** Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
WATER		7732-18-5	70 - < 80
CERIC SULFATE	TETRASULFATOCERIC ACID CERIC BISULFATE SULFATOCERIC ACID	17106-39-7	10 - < 20
SULFURIC ACID		7664-93-9	5 - < 10

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media	Use extinguishing agent suitable for type of surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	In the event of fire oxides of sulfur may be formed.
Special protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Fire fighting equipment/instructions	Move containers from fire area if you can do it without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Vi Accidental release incusares		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. Clean contaminated surface thoroughly. This product is miscible in water. Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.	
	Large Spills: Dike the spilled material, where this is possible. Neutralize spilled material with crushed limestone, soda ash or lime. Flush into sewer with plenty of water. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.	

### 7. Handling and storage

-

Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

incompatibilities

(see Section 10 of the SDS).

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	
SULFURIC ACID (CAS 7664-93-9)	PEL	1 mg/m3	
US. ACGIH Threshold Lim	nit Values		
Components	Туре	Value	Form
SULFURIC ACID (CAS 7664-93-9)	TWA	0.2 mg/m3	Thoracic fraction.
US. NIOSH: Pocket Guide	e to Chemical Hazards		
Components	Туре	Value	
SULFURIC ACID (CAS 7664-93-9)	TWA	1 mg/m3	
Biological limit values	No biological exposure limits noted	for the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. An eye wash and safety shower must be available in the immediate work area.		
Individual protection measur	es, such as personal protective eq	uipment	
Eye/face protection	Wear safety glasses with side shield	s (or goggles) and a face shield	
Skin protection			
Hand protection	Wear appropriate chemical resistant	gloves.	
Other	Wear appropriate chemical resistant	clothing.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. None required where adequate ventilation conditions exist.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
9. Physical and chemica	l properties		
Appearance	Clear.		
Physical state	Liquid.		
Form	Liquid.		
Color	Yellow-orange.		
Odor	Odorless.		
Odor threshold	Not available.		
рН	< 1		
Melting point/freezing point	< 32 °F (< 0 °C)		
Initial boiling point and boiling range	> 212 °F (> 100 °C)		
Flash point	Not available.		
-			

Not available.

Not applicable.

**Evaporation rate** 

Flammability (solid, gas)

### Upper/lower flammability or explosive limits

opper/lower flammability or explosive limits			
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Completely miscible		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
Other information			
Density	1.22 g/cm3		
Explosive properties	Not explosive.		
Molecular formula	H4Ce(SO4)4		
Molecular weight	528.43		
Oxidizing properties	Not oxidizing.		
Specific gravity	1.22		

### 10. Stability and reactivity

Reactivity	This product may react with reducing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Bases. Reducing agents. Contact with metals may evolve flammable hydrogen gas.
Hazardous decomposition products	May include oxides of sulphur.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

#### Information on toxicological effects

Acute toxicity	Not known.		
Product	Species	Test Results	
CERIC SULFATE SOLUTIO	DN, 0.4 N		
<u>Acute</u>			
Inhalation			
LC50	Guinea pig	0.32 mg/l	

Components	Species	Test Results		
SULFURIC ACID (CAS 7664-93-9)				
<u>Acute</u>				
Inhalation				
LC50	Guinea pig	0.03 mg/l, 8 Hours		
		0.018 mg/l, 8 Hours		
	Rat	347 mg/l, 1 Hours		
* Estimates for product may h	be based on additional componen	t data not shown		
Skin corrosion/irritation	Causes severe skin burns and eye damage.			
Serious eye damage/eye irritation	Causes serious eye damage.	ye ddindgei		
Respiratory or skin sensitization	<b>an</b>			
Respiratory sensitization				
Skin sensitization	Not a respiratory sensitizer. This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	Not classifiable as to carcinoge	nicity to humans.		
IARC Monographs. Overall	<b>Evaluation of Carcinogenicit</b>	У		
Not listed. OSHA Specifically Regulate	ed Substances (29 CFR 1910.	1001-1050)		
Not regulated.	ogram (NTP) Report on Carc			
	ogram (NTP) Report on Carc	nogens		
Not listed.	This was durat is wet sum asteria to			
Reproductive toxicity		cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be ha	armful.		
12. Ecological informatio	n			
Ecotoxicity	Because of the low pH of this product, it would be expected to produce significant ecotoxicity up exposure to aquatic organisms and aquatic systems.			
Product	Species	Test Results		
CERIC SULFATE SOLUTION, 0				
Aquatic				
-	LC50 Fish	560 mg/l, 96 hours estimated		
Components	Species	Test Results		
SULFURIC ACID (CAS 7664-93	•			
Aquatic	5-9)			
-	LC50 Western mosqu	itofish (Gambusia affinis) 42 mg/l, 96 hours		
151	western mosqu			
* Estimates for product may b	e based on additional componen	t data not shown.		
Persistence and degradability	-			
Bioaccumulative potential	No data available.			
Mobility in soil	No data available.			
Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation global warming potential) are expected from this component.		
	,			
13. Disposal consideration	ons			
13. Disposal consideratio		n sealed containers at licensed waste dispesal site. Do not allow th		
13. Disposal consideration Disposal instructions	Collect and reclaim or dispose material to drain into sewers/w	in sealed containers at licensed waste disposal site. Do not allow th vater supplies. Dispose of contents/container in accordance with ional regulations. Neutralize with soda ash/slaked lime and discharg		

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

DOT
-----

DOT	
UN number	UN2796
UN proper shipping name	Sulfuric acid with not more than 51% acid
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	II
Special precautions for	Read safety instructions, SDS and emergency procedures before handling.
user	
Special provisions	A3, A7, B2, B15, IB2, N6, N34, T8, TP2, TP12
Packaging exceptions	154
Packaging non bulk	202
Packaging bulk	242
ΙΑΤΑ	
UN number	UN2796
UN proper shipping name	Sulphuric acid with 51% or less acid
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	II
Environmental hazards	No.
ERG Code	8L
Special precautions for	Read safety instructions, SDS and emergency procedures before handling.
user	
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	All and a still we also to the second
Cargo aircraft only	Allowed with restrictions.
IMDG	1012706
UN number	UN2796
UN proper shipping name	SULPHURIC ACID with not more than 51% acid
Transport hazard class(es)	0
Class	8
Subsidiary risk	I
Packing group Environmental hazards	11
	No
Marine pollutant EmS	No.
Special precautions for	F-A, S-B Read safety instructions, SDS and emergency procedures before handling.
user	Read salety instructions, SDS and emergency procedures before nanding.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78	
and the IBC Code	
DOT	





# 15. Regulatory information

US federal regulations	29 CFR 192				Communication Standard,
TSCA Section 12(b) Ex	xport Notificatio	n (40 CFR 707,	Subpt. D)		
Not regulated. CERCLA Hazardous Su	ubstance List (40	) CFR 302.4)			
SULFURIC ACID (CA SARA 304 Emergency		tion	Listed.		
SULFURIC ACID (CA OSHA Specifically Reg Not regulated.		ces (29 CFR 19:	1000 LBS 10.1001-1050)		
Superfund Amendments a Hazard categories	Immediate Delayed Ha Fire Hazaro Pressure H	Hazard - Yes azard - No 1 - No	5 (SARA)		
SARA 302 Extremely	hazardous subst	ance			
Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
SULFURIC ACID	7664-93-9	1000	1000		
SARA 311/312 Hazardous chemical	No				
SARA 313 (TRI report Chemical name	ing)	CA	S number	% by wt.	
SULFURIC ACID		76	64-93-9	5 - < 10	
Other federal regulations					
Clean Air Act (CAA) So	ection 112 Haza	rdous Air Pollut	ants (HAPs) List		
Not regulated. Clean Air Act (CAA) Se	ection 112(r) Ac	cidental Releas	e Prevention (40 CF	R 68.130)	
. ,					
Not regulated.					
	Act Not regulat	ted.			
Not regulated. Safe Drinking Water A (SDWA)	t Administration		Essential Chemicals	(21 CFR 1310.02(b)	) and 1310.04(f)(2)
Not regulated. Safe Drinking Water A (SDWA) Drug Enforcemen and Chemical Cod SULFURIC ACIE	t Administration le Number ) (CAS 7664-93-9)	ı (DEA). List 2, I	Essential Chemicals 6552 & 2 Exempt Chemical		
Not regulated. Safe Drinking Water A (SDWA) Drug Enforcemen and Chemical Cod SULFURIC ACID Drug Enforcemen	t Administration le Number (CAS 7664-93-9) t Administration (CAS 7664-93-9)	) (DEA). List 2, I ) (DEA). List 1 8	6552		
Not regulated. Safe Drinking Water A (SDWA) Drug Enforcemen and Chemical Cod SULFURIC ACIE Drug Enforcemen SULFURIC ACIE DEA Exempt Chem	t Administration le Number (CAS 7664-93-9) t Administration (CAS 7664-93-9)	) (DEA). List 2, I ) (DEA). List 1 8 ode Number	6552 <b>a 2 Exempt Chemica</b>		
Not regulated. Safe Drinking Water A (SDWA) Drug Enforcemen and Chemical Cod SULFURIC ACIE Drug Enforcemen SULFURIC ACIE DEA Exempt Chem SULFURIC ACIE	t Administration le Number (CAS 7664-93-9) t Administration (CAS 7664-93-9) nical Mixtures C (CAS 7664-93-9) (CAS 7664-93-9) California S	n (DEA). List 2, I n (DEA). List 1 & ode Number Gafe Drinking Wat	6552 <b>2 Exempt Chemical</b> 20 %WV 6552	<b>Mixtures (21 CFR</b> : ent Act of 1986 (Prope	L <b>310.12(c))</b> Disition 65): This material i
Not regulated. Safe Drinking Water A (SDWA) Drug Enforcemen and Chemical Cod SULFURIC ACIE Drug Enforcemen SULFURIC ACIE DEA Exempt Chem	t Administration le Number (CAS 7664-93-9) t Administration (CAS 7664-93-9) nical Mixtures C (CAS 7664-93-9) (CAS 7664-93-9) California S not known	n (DEA). List 2, I n (DEA). List 1 & ode Number Gafe Drinking Wat	6552 <b>2 Exempt Chemical</b> 20 %WV 6552 rer and Toxic Enforcem	<b>Mixtures (21 CFR</b> : ent Act of 1986 (Prope	L <b>310.12(c))</b> Disition 65): This material
Not regulated. Safe Drinking Water A (SDWA) Drug Enforcemen and Chemical Cod SULFURIC ACIE Drug Enforcemen SULFURIC ACIE DEA Exempt Chem SULFURIC ACIE	t Administration le Number (CAS 7664-93-9) t Administration (CAS 7664-93-9) nical Mixtures C (CAS 7664-93-9) (CAS 7664-93-9) California S not known	<b>(DEA). List 2, I</b> (DEA). List 1 8 ode Number Safe Drinking Wat to contain any ch	6552 <b>2 Exempt Chemical</b> 20 %WV 6552 rer and Toxic Enforcem	Mixtures (21 CFR : ent Act of 1986 (Prope as carcinogens or re	L310.12(c)) Disition 65): This material productive toxins.
Not regulated. Safe Drinking Water A (SDWA) Drug Enforcemen and Chemical Cod SULFURIC ACIE Drug Enforcemen SULFURIC ACIE DEA Exempt Chem SULFURIC ACIE US state regulations	t Administration le Number (CAS 7664-93-9) t Administration (CAS 7664-93-9) nical Mixtures C (CAS 7664-93-9) California S not known	a (DEA). List 2, I a (DEA). List 1 8 ode Number Gafe Drinking Wat to contain any ch y name	6552 <b>2 Exempt Chemical</b> 20 %WV 6552 rer and Toxic Enforcem	Mixtures (21 CFR : ent Act of 1986 (Prope d as carcinogens or re	L310.12(c)) Disition 65): This material productive toxins. Dn inventory (yes/no)
Not regulated. Safe Drinking Water A (SDWA) Drug Enforcement and Chemical Cod SULFURIC ACIE Drug Enforcement SULFURIC ACIE DEA Exempt Chem SULFURIC ACIE US state regulations International Inventories Country(s) or region	t Administration le Number (CAS 7664-93-9) t Administration (CAS 7664-93-9) nical Mixtures C (CAS 7664-93-9) (CAS 7664-93-9) California S not known Inventory Australian	a (DEA). List 2, I a (DEA). List 1 8 ode Number Gafe Drinking Wat to contain any ch y name	6552 <b>2 Exempt Chemical</b> 20 %WV 6552 fer and Toxic Enforcem hemicals currently listed mical Substances (AICS	Mixtures (21 CFR : ent Act of 1986 (Prope d as carcinogens or re	L <b>310.12(c))</b> Disition 65): This material i

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	September-26-2013
Revision date	June-15-2017
Version #	02
Disclaimer Revision information	The information given is designed only as a guidance for safe handling, use, processing, storage transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. This document has undergone significant changes and should be reviewed in its entirety.