


# PRODUCT INFORMATION



## Dapansutrole

Item No. 24671

CAS Registry No.: 54863-37-5  
Formal Name: 3-(methylsulfonyl)-propanenitrile  
Synonym: 3-methanesulfonyl Propanenitrile  
MF:  $C_4H_7NO_2S$   
FW: 133.2  
Purity:  $\geq 98\%$   
Supplied as: A crystalline solid  
Storage:  $-20^\circ C$   
Stability:  $\geq 2$  years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

Dapansutrole is supplied as a crystalline solid. A stock solution may be made by dissolving the dapansutrole in the solvent of choice. Dapansutrole is soluble in the organic solvent DMSO, which should be purged with an inert gas at a concentration of approximately 2 mg/ml.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. Organic solvent-free aqueous solutions of dapansutrole can be prepared by directly dissolving the crystalline solid in aqueous buffers. The solubility of dapansutrole in PBS, pH 7.2, is approximately 3 mg/ml. We do not recommend storing the aqueous solution for more than one day.

### Description

Dapansutrole is a  $\beta$ -sulfonyl nitrile inhibitor of the NLRP3 inflammasome that inhibits the release of IL-1 $\beta$  and decreases caspase-1 levels in LPS-stimulated J774A.1 murine macrophages, human monocyte derived macrophages (HMDMs), and primary human blood neutrophils without affecting TNF- $\alpha$  release.<sup>1</sup> It is selective for NLRP3 over NLRP4 and AIM2 inflammasomes at concentrations up to 100  $\mu M$ . Dapansutrole inhibits ASC oligomerization and NLRP3 association with caspase-1 and ASC in LPS- and nigericin-stimulated J774A.1 cells. *In vivo*, dapansutrole reduces myeloperoxidase (MPO), CXCL1, and IL-6 levels in peritoneal fluid as well as IL-1 $\beta$  levels in liver, lung, spleen, and skeletal muscle in a mouse model of LPS-induced systemic inflammation. It decreases oxidized glutathione and oxaloacetate and increases reduced glutathione,  $\alpha$ -ketoglutarate, and citrate levels, markers of oxidative metabolism, in muscle in a mouse model of LPS-induced systemic inflammation. Dapansutrole also reduces IL-1 $\beta$  release in blood monocytes isolated from patients with cryopyrin-associated periodic syndrome (CAPS), an autoinflammatory disorder characterized by gain-of-function mutations in NLRP3.

### Reference

1. Marchetti, C., Swartzwelter, B., Gamboni, F., *et al.* OLT1177, a  $\beta$ -sulfonyl nitrile compound, safe in humans, inhibits the NLRP3 inflammasome and reverses the metabolic cost of inflammation. *Proc. Nat. Acad. Sci. USA* **115**(7), E1530-E1539 (2018).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 03/05/2020

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897  
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM