

SAFETY DATA SHEET

1. Identification

Product identifier	WATERMARK® KARL FISCHER SOLVENT, METHANOL FREE	
Other means of identification		
Product code	1609	
Recommended use	Laboratory reagent for water determination using the Karl Fischer method.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		

Mar	nufa	ctur	er
riai	iuia	LLUI	CI

Company name Address	GFS Chemicals, Inc. 800 Kaderly Drive Columbus, OH 43228 United States	
Telephone	Phone Toll Free Fax	740-881-5501 800-858-9682 740-881-5989
Website E-mail	www.gfschemicals.com service@gfschemicals.com	
Emergency phone number	Emergency Assistance	Chemtrec 800-424-9300

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 3
Health hazards	Acute toxicity, dermal	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Carcinogenicity	Category 2
	Reproductive toxicity	Category 1
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	

OSHA defined hazard

Signal word

Hazard statement

Label elements



Danger

Flammable liquid and vapor. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Causes damage to organs through prolonged or repeated exposure. Suspected of causing cancer. May damage fertility or the unborn child. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces No smoking. Use explosion-proof electrical/ventilating/lighting equipment. Keep container tightly closed. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing mist/vapor. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection.
Response	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish. If eye irritation persists: Get medical advice/attention.
Storage	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	10-20% of the mixture consists of component(s) of unknown acute dermal toxicity. >85% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. >85% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHYLENEGLYCOLMONOMETHYL ETHER	Methyl Cellosolve Ethylene Glycol Monomethyl Ether 2-Methoxyethanol	109-86-4	80 - < 90*
DIETHANOLAMINE	BIS(2-HYDROXYETHYL)AMINE	111-42-2	5 - < 10*
SULFUR DIOXIDE		7446-09-5	5 - < 10*
IMIDAZOLE	1H-IMIDAZOLE 1,3-DIAZA-2,4-CYCLOPENTADIENE Glyoxalin	288-32-4	< 1*
IODINE		7553-56-2	< 1*

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5 Fire-fighting measured	

5. Fire-fighting measures

Suitable extinguishing media Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear SCBA. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Flammable liquid and vapor.
6. Accidental release me	asures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Avoid breathing mist/vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewers, basements or confined areas.
	Large Spills: Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Take precautionary measures against static discharge. Use only non-sparking tools. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. This product is miscible in water. Should not be released into the environment. Clean up ir accordance with all applicable regulations. Prevent product from entering drains. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Container may be opened only under exhaust ventilation hood. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Avoid breathing mist/vapor. Wear appropriate personal protective equipment. Avoid prolonged exposure. Wash hands thoroughly after handling. Should be handled in closed systems, if possible. Observe good industrial hygiene practices. Avoid release to the environment. Wash contaminated clothing before reuse.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Keep container tightly closed. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Cont Components	Туре	Val	ue	
ethyleneglycolmonome Thyl ether (cas 109-86-4)	PEL	80	mg/m3	
		25	ppm	
IODINE (CAS 7553-56-2)	Ceiling	1 m	ng/m3	
		0.1	ppm	
SULFUR DIOXIDE (CAS 7446-09-5)	PEL		mg/m3	
		5 p	pm	
US. ACGIH Threshold Limit Values	_			F
Components	Туре	Val		Form
DIETHANOLAMINE (CAS 111-42-2)	TWA		ng/m3	Inhalable fraction and vapor.
ETHYLENEGLYCOLMONOME THYL ETHER (CAS 109-86-4)	TWA		ppm	
SULFUR DIOXIDE (CAS 7446-09-5)	STEL	0.2	5 ppm	
US. NIOSH: Pocket Guide to Chemical Components	Hazards Type	Val	ue	
DIETHANOLAMINE (CAS 111-42-2)	TWA	15	mg/m3	
		3 р	pm	
ethyleneglycolmonome Thyl ether (cas 109-86-4)	TWA	0.3	mg/m3	
		0.1	ppm	
IODINE (CAS 7553-56-2)	Ceiling	1 m	ng/m3	
		0.1	ppm	
SULFUR DIOXIDE (CAS 7446-09-5)	STEL	13	mg/m3	
		5 p		
	TWA	5 m	ng/m3	
		2 p	pm	
ogical limit values ACGIH Biological Exposure Indices				
Components Value	Determinant	Specimen	Sampling T	ïme
ETHYLENEGLYCOLMONOME 1 mg/g THYL ETHER (CAS 109-86-4)	2-Methoxyaceti c acid	Creatinine in urine	*	
* - For sampling details, please see the sou	rce document.			
osure guidelines				
US - California OELs: Skin designation				
DIETHANOLAMINE (CAS 111-42-2) ETHYLENEGLYCOLMONOMETHYL ETHI	ER (CAS 109-86-4) Can be	absorbed throug absorbed throug		
US - Minnesota Haz Subs: Skin design ETHYLENEGLYCOLMONOMETHYL ETHI	••	cignation applies		
US - Tennessee OELs: Skin designation	า่้			
ETHYLENEGLYCOLMONOMETHYL ETHI US ACGIH Threshold Limit Values: Ski	n designation	-		
DIETHANOLAMINE (CAS 111-42-2) ETHYLENEGLYCOLMONOMETHYL ETHI US NIOSH Pocket Guide to Chemical H	ER (CAS 109-86-4) Can be	-		
05 N105H PUCKEL Guide to Chemical H				
ETHYLENEGLYCOLMONOMETHYL ETH US. OSHA Table Z-1 Limits for Air Cont	ER (CAS 109-86-4) Can be	-	Ih the skin.	

Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Provide eyewash station and safety shower. Use a well ventilated hood.
Individual protection measure	s, such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor cartridge.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

· · · · · · · · · · · · · · · · · · ·	
Appearance	Clear.
Physical state	Liquid.
Form	Liquid.
Color	Yellow.
Odor	Sulfur dioxide odor.
Odor threshold	Not available.
рН	6 Approximately
Melting point/freezing point	-100 °F (-73 °C) estimated
Initial boiling point and boiling range	265 °F (129 °C) estimated
Flash point	114.8 °F (46.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	2.5 % estimated
Flammability limit - upper (%)	14 %
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	2.6 air = 1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Miscible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	616 °F (324 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.9 g/cm3
Explosive properties	Not explosive.

Flammability class	Combustible II estimated
Flash point class	Combustible II
Oxidizing properties	Not oxidizing.
Percent volatile	80 % estimated
Specific gravity	0.9 estimated
VOC	80 % estimated

10. Stability and reactivity

Reactivity Chemical stability	The product is stable and non-reactive under normal conditions of use, storage and transport. Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong acids. Strong oxidizing agents. Aluminum. Ammonia. Caustics.
Hazardous decomposition products	Carbon dioxide, carbon monoxide, oxides of sulfur and nitrogen.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.			
Skin contact	Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.			
Eye contact	Causes serious eye irritation.			
Ingestion	Expected to be a low ingestion hazard.			
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.			
Tufermetion on texicological				

Ι

Information on toxicolo	gical effects		
Acute toxicity	Harmful in contact with skin.		
Product	Species	Test Results	
WATERMARK® KARL FISC	HER SOLVENT, METHANOL FREE		
<u>Acute</u>			
Inhalation			
LC50	Guinea pig	8828 mg/l	
	Mouse	8984 mg/l	
	Rat	1818 mg/l	
Oral			
LD50	Mouse	100000 mg/kg	
	Rabbit	100000 mg/kg	
Components	Species	Test Results	
DIETHANOLAMINE (CAS 1	11-42-2)		
<u>Acute</u>			
Oral			
LD50	Rat	1820 mg/kg	
		710 mg/kg	
ETHYLENEGLYCOLMONOM	ETHYL ETHER (CAS 109-86-4)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	1280 mg/kg	
Inhalation			
LC50	Rat	1500 mg/l 7 hours	
Oral			
LD50	Guinea pig	950 mg/kg	
	Mouse	2560 mg/kg	

Components	Species	Test Results
	Rabbit	890 mg/kg
	Rat	2370 mg/kg
Other		
LD50	Mouse	2147 mg/kg
	Rat	2140 mg/kg
MIDAZOLE (CAS 288-32-4)		
Acute		
Oral		
LD50	Rat	970 mg/kg
ODINE (CAS 7553-56-2)		
<u>Acute</u>		
Oral		
LD50	Mouse	22 g/kg
	Rabbit	10 g/kg
	Rat	14 g/kg
SULFUR DIOXIDE (CAS 7446-09-	5)	
<u>Acute</u>		
Inhalation		
LC50	Guinea pig	1000 ppm, 20 Hours
		1000 mg/l, 20 Hours
		130 ppm, 154 Hours
		130 mg/l, 154 Hours
	Mouse	1000 ppm, 4 Hours
		1000 mg/l, 4 Hours
		150 ppm, 847 Hours
		150 mg/l, 847 Hours
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye rritation	Causes serious eye irritatio	n.
Respiratory or skin sensitizat	tion	
Respiratory sensitization	Not a respiratory sensitize	: :
Skin sensitization	May cause an allergic skin	reaction.
Germ cell mutagenicity	Contains a substance whic	h may have a mutagenic effect.
Carcinogenicity	Suspected of causing cano	er.
IARC Monographs. Overa	Ill Evaluation of Carcinoge	nicity
DIETHANOLAMINE (CAS SULFUR DIOXIDE (CAS	7446-09-5)	2B Possibly carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.
	ted Substances (29 CFR 1	910.1001-1052)
Not regulated. US. National Toxicology I Not listed.	Program (NTP) Report on (Carcinogens
Reproductive toxicity	Possible reproductive haza	rd. May damage fertility or the unborn child.
Specific target organ toxicity single exposure	·	
Specific target organ toxicity repeated exposure	Causes damage to organs	through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Causes damage to organs	through prolonged or repeated exposure. Prolonged inhalation may b ire may cause chronic effects.
12. Ecological informati	ion	
	Harmful to aquatic life wit	

Ecotoxicity

Harmful to aquatic life with long lasting effects.

		Species	Test Results
WATERMARK® KARL FISCH	HER SOLVENT,	, METHANOL FREE	
Aquatic			
Crustacea	EC50	Daphnia	643.75 mg/l, 48 hours estimated
Fish	LC50	Fish	256.9067 mg/l, 96 hours estimated
Components		Species	Test Results
DIETHANOLAMINE (CAS 11	1-42-2)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	61.8 - 86.04 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	100 mg/l, 96 hours
ETHYLENEGLYCOLMONOM	ETHYL ETHER	(CAS 109-86-4)	
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/l, 96 hours
IODINE (CAS 7553-56-2)			
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.48 - 0.58 mg/l, 96 hours
			0.48 - 0.58 mg/l, 96 hours
sistence and degradabili	ty None kno	NA(D)	
-	-		
accumulative potential	-		
-	-	er (log Kow)	
accumulative potential Partition coefficient n-o	ctanol / wate	er (log Kow) -1.43	
accumulative potential Partition coefficient n-o DIETHANOLAMINE	ctanol / wate	er (log Kow) -1.43	
accumulative potential Partition coefficient n-o DIETHANOLAMINE ETHYLENEGLYCOLMONOM	ctanol / wate	er (log Kow) -1.43 -0.77 2.49	
Accumulative potential Partition coefficient n-o DIETHANOLAMINE ETHYLENEGLYCOLMONOM IODINE	ctanol / wat o ETHYL ETHER No data a	er (log Kow) -1.43 -0.77 2.49 available. Luct contains volatile organic compounds which	have a photochemical ozone creation
Accumulative potential Partition coefficient n-o DIETHANOLAMINE ETHYLENEGLYCOLMONOM IODINE Dility in soil	ctanol / wat ETHYL ETHER No data a The produ potential.	er (log Kow) -1.43 -0.77 2.49 available. Luct contains volatile organic compounds which	have a photochemical ozone creation
Accumulative potential Partition coefficient n-o DIETHANOLAMINE ETHYLENEGLYCOLMONOM IODINE Dility in soil er adverse effects	ctanol / wate ETHYL ETHER No data a The produ potential. tions Collect an material u containers ponds, wa considere	er (log Kow) -1.43 -0.77 2.49 available. Luct contains volatile organic compounds which	ensed waste disposal site. Incinerate th herator. Do not incinerate sealed rs/water supplies. Do not contaminate ainer. If discarded, this product is
Accumulative potential Partition coefficient n-o DIETHANOLAMINE ETHYLENEGLYCOLMONOM IODINE pility in soil er adverse effects Disposal considera	ctanol / wate ETHYL ETHER No data a The produ potential. tions Collect an material u containers ponds, wa considere local/regio	er (log Kow) -1.43 -0.77 2.49 available. uct contains volatile organic compounds which ad reclaim or dispose in sealed containers at lice under controlled conditions in an approved incir s. Do not allow this material to drain into sewer aterways or ditches with chemical or used cont d a RCRA ignitable waste, D001. Dispose of co	ensed waste disposal site. Incinerate th herator. Do not incinerate sealed rs/water supplies. Do not contaminate ainer. If discarded, this product is
Accumulative potential Partition coefficient n-o DIETHANOLAMINE ETHYLENEGLYCOLMONOM IODINE Dility in soil er adverse effects Disposal considerat posal instructions	ctanol / wate ETHYL ETHER No data a The produ potential. tions Collect an material u containers ponds, wa considere local/regio Dispose ir D001: Wa	er (log Kow) -1.43 -0.77 2.49 available. uct contains volatile organic compounds which ad reclaim or dispose in sealed containers at lice under controlled conditions in an approved incir s. Do not allow this material to drain into sewer aterways or ditches with chemical or used cont d a RCRA ignitable waste, D001. Dispose of co onal/national/international regulations. n accordance with all applicable regulations. aste Flammable material with a flash point <14 e code should be assigned in discussion between	ensed waste disposal site. Incinerate th herator. Do not incinerate sealed rs/water supplies. Do not contaminate ainer. If discarded, this product is ntents/container in accordance with 0 F
accumulative potential Partition coefficient n-o DIETHANOLAMINE ETHYLENEGLYCOLMONOM IODINE pility in soil er adverse effects Disposal considerat posal instructions	ctanol / wate ETHYL ETHER No data a The produ potential. tions Collect an material u containers ponds, wa considere local/regio Dispose ir D001: Wa The waste disposal c Dispose o	er (log Kow) -1.43 -0.77 2.49 available. uct contains volatile organic compounds which d reclaim or dispose in sealed containers at lice under controlled conditions in an approved incir s. Do not allow this material to drain into sewel aterways or ditches with chemical or used cont d a RCRA ignitable waste, D001. Dispose of co- onal/national/international regulations. n accordance with all applicable regulations. aste Flammable material with a flash point <14 e code should be assigned in discussion between company. of in accordance with local regulations. Empty co- This material and its container must be disposed	ensed waste disposal site. Incinerate the herator. Do not incinerate sealed rs/water supplies. Do not contaminate ainer. If discarded, this product is intents/container in accordance with 0 F en the user, the producer and the waste ontainers or liners may retain some pro

14. Transport information

DOT	
UN number	UN1188
UN proper shipping name	Ethylene glycol monomethyl ether solution
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	III
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B1, IB3, T2, TP1
Packaging exceptions	150
Packaging non bulk	203

Packaging bulk IATA	242
UN number	UN1188
UN proper shipping name	Ethylene glycol monomethyl ether solution
Transport hazard class(es)	
Class	3
Subsidiary risk	5
-	III
Packing group Environmental hazards	No.
ERG Code	NO. 3L
Special precautions for	Read safety instructions, SDS and emergency procedures before handling.
user Other information	
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1188
UN proper shipping name	ETHYLENE GLYCOL MONOMETHYL ETHER SOLUTION
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	No.
EmS	F-E, S-D
Special precautions for	Read safety instructions, SDS and emergency procedures before handling.
user	
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and the IBC Code	
DOT	



IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

ETHYLENEGLYCOLMONOMETHYL ETHER (CAS 109-86-4) 1.0 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

DIETHANOLAMINE (CAS 111-42-2)

SARA 304 Emergency release notification

SULFUR DIOXIDE (CAS 7446-09-5)

Listed. 500 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

1609

Version #: 03

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

	CAS number	Reportable quantity (pounds)	Threshold planning quant (pounds)	Threshold ity planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
SULFUR DIOXIDE	7446-09-5	500	500		
SARA 311/312 Hazardous chemical	Yes				
Classified hazard categories	Acute toxici Skin corrosi Serious eye Respiratory Carcinogeni Reproductiv	ty (any route of on or irritation damage or eye or skin sensitiza city e toxicity	irritation	d exposure)	
SARA 313 (TRI report	ing)		C	0/ 1	
Chemical name			S number	% by wt.	
DIETHANOLAMINE ETHYLENEGLYCOLM	ONOMETHYL ETHE		11-42-2 09-86-4	5 - < 10 80 - < 90	
er federal regulations	_				
Clean Air Act (CAA) Se DIETHANOLAMINE (Clean Air Act (CAA) Se	CAS 111-42-2) ection 112(r) Acc				
SULFUR DIOXIDE (C Safe Drinking Water A		ed.			
(SDWA)	Administration	(DEA) List 1 8	2 Evennt Chem	ical Mixtures (21 CFR 1	1310 12(c))
IODINE (CAS 75		(DEA). LIST I 6	2.2 %WV	ical mixtures (21 CFR)	L310.12(C))
IODINE (CAS 75 DEA Exempt Chem IODINE (CAS 75	nical Mixtures Co	de Number	6699		
FEMA Priority Sub		-		avor Manufacturing Wo	orkplace
state regulations					
California Proposition					
				DIETHANOLAMINE, which DLMONOMETHYL ETHER, v	n is known to the State
<u>/!\</u>		ia to cause birth	defects or other re	productive harm. For mor	
California Proposi	State of Californ to www.P65War	ia to cause birth nings.ca.gov.			
DIETHANOLAMI	State of Californ to www.P65War tion 65 - CRT: Lis NE (CAS 111-42-2)	ia to cause birth nings.ca.gov. sted date/Carc)	inogenic substa r Listed: June 22	n ce , 2012	
DIETHANOLAMI California Proposi ETHYLENEGLYC	State of Californ to www.P65War tion 65 - CRT: Lis NE (CAS 111-42-2)	ia to cause birth nings.ca.gov. sted date/Carc) sted date/Deve	inogenic substa r Listed: June 22	n ce , 2012	
DIETHANOLAMI California Proposi ETHYLENEGLYC 109-86-4) SULFUR DIOXID	State of Californ to www.P65War tion 65 - CRT: Lis NE (CAS 111-42-2) tion 65 - CRT: Lis OLMONOMETHYL I DE (CAS 7446-09-5)	ia to cause birth nings.ca.gov. sted date/Carc) sted date/Dev ETHER (CAS)	inogenic substar Listed: June 22 elopmental toxin Listed: January Listed: July 29,	nce , 2012 1, 1989 2011	
DIETHANOLAMI California Proposi ETHYLENEGLYC 109-86-4) SULFUR DIOXIE California Proposi ETHYLENEGLYC	State of Californ to www.P65War tion 65 - CRT: Lis NE (CAS 111-42-2) tion 65 - CRT: Lis OLMONOMETHYL I DE (CAS 7446-09-5)	ia to cause birth nings.ca.gov. sted date/Carc sted date/Deve ETHER (CAS) sted date/Male	inogenic substar Listed: June 22 elopmental toxin Listed: January Listed: July 29,	nce , 2012 1, 1989 2011 xin	
DIETHANOLAMI California Proposi ETHYLENEGLYC 109-86-4) SULFUR DIOXIE California Proposi ETHYLENEGLYC 109-86-4) US. California. Car	State of Californ to www.P65War tion 65 - CRT: Lis NE (CAS 111-42-2) tion 65 - CRT: Lis OLMONOMETHYL I DE (CAS 7446-09-5) tion 65 - CRT: Lis OLMONOMETHYL I ndidate Chemical	ia to cause birth nings.ca.gov. sted date/Carc sted date/Deve ETHER (CAS sted date/Male ETHER (CAS	inogenic substar Listed: June 22 elopmental toxin Listed: January Listed: July 29, e reproductive to Listed: January	nce , 2012 1, 1989 2011 xin	e information go
DIETHANOLAMI California Proposi ETHYLENEGLYC 109-86-4) SULFUR DIOXID California Proposi ETHYLENEGLYC 109-86-4) US. California. Car 69502.3, subd. (a) DIETHANOLAMI ETHYLENEGLYC	State of Californ to www.P65War tion 65 - CRT: Lis NE (CAS 111-42-2) tion 65 - CRT: Lis OLMONOMETHYL I DE (CAS 7446-09-5) tion 65 - CRT: Lis OLMONOMETHYL I Indidate Chemical D) NE (CAS 111-42-2) OLMONOMETHYL I	ia to cause birth nings.ca.gov. sted date/Carc sted date/Deve ETHER (CAS) sted date/Male ETHER (CAS Is List. Safer Co	cinogenic substar Listed: June 22 elopmental toxin Listed: January Listed: July 29, e reproductive to Listed: January onsumer Product	nce , 2012 1, 1989 2011 xin 1, 1989	e information go
DIETHANOLAMI California Proposi ETHYLENEGLYC 109-86-4) SULFUR DIOXIE California Proposi ETHYLENEGLYC 109-86-4) US. California. Car 69502.3, subd. (a) DIETHANOLAMI ETHYLENEGLYC IMIDAZOLE (CA	State of Californ to www.P65War tion 65 - CRT: Lis NE (CAS 111-42-2) tion 65 - CRT: Lis OLMONOMETHYL I DE (CAS 7446-09-5) tion 65 - CRT: Lis OLMONOMETHYL I Indidate Chemical D) NE (CAS 111-42-2) OLMONOMETHYL I	ia to cause birth nings.ca.gov. sted date/Carc sted date/Deve ETHER (CAS sted date/Male ETHER (CAS Is List. Safer Co ETHER (CAS 109	cinogenic substar Listed: June 22 elopmental toxin Listed: January Listed: July 29, e reproductive to Listed: January onsumer Product	nce , 2012 1, 1989 2011 xin 1, 1989	e information go
DIETHANOLAMI California Proposi ETHYLENEGLYC 109-86-4) SULFUR DIOXIE California Proposi ETHYLENEGLYC 109-86-4) US. California. Car 69502.3, subd. (a) DIETHANOLAMI ETHYLENEGLYC IMIDAZOLE (CA	State of Californ to www.P65War tion 65 - CRT: Lis NE (CAS 111-42-2) tion 65 - CRT: Lis OLMONOMETHYL I DE (CAS 7446-09-5) tion 65 - CRT: Lis OLMONOMETHYL I ndidate Chemical D) NE (CAS 111-42-2) OLMONOMETHYL I S 288-32-4)	ia to cause birth nings.ca.gov. sted date/Carc sted date/Deve ETHER (CAS sted date/Male ETHER (CAS Is List. Safer Co ETHER (CAS 109	cinogenic substar Listed: June 22 elopmental toxin Listed: January Listed: July 29, e reproductive to Listed: January onsumer Product	nce , 2012 1, 1989 2011 xin 1, 1989	e information go
DIETHANOLAMI California Proposi ETHYLENEGLYC 109-86-4) SULFUR DIOXIE California Proposi ETHYLENEGLYC 109-86-4) US. California. Car 69502.3, subd. (a) DIETHANOLAMI ETHYLENEGLYC IMIDAZOLE (CA SULFUR DIOXIE ernational Inventories Country(s) or region	State of Californ to www.P65War tion 65 - CRT: Lis NE (CAS 111-42-2) tion 65 - CRT: Lis OLMONOMETHYL I DE (CAS 7446-09-5) tion 65 - CRT: Lis OLMONOMETHYL I ndidate Chemical NE (CAS 111-42-2) OLMONOMETHYL I S 288-32-4) DE (CAS 7446-09-5) Inventory	ia to cause birth nings.ca.gov. sted date/Carco sted date/Devo ETHER (CAS sted date/Malo ETHER (CAS Is List. Safer Co ETHER (CAS 109) ETHER (CAS 109	cinogenic substar Listed: June 22 elopmental toxin Listed: January Listed: July 29, e reproductive to Listed: January consumer Product	nce , 2012 1, 1989 2011 xin 1, 1989 ts Regulations (Cal. Cod	e information go de Regs, tit. 22,
DIETHANOLAMI California Proposi ETHYLENEGLYC 109-86-4) SULFUR DIOXIE California Proposi ETHYLENEGLYC 109-86-4) US. California. Car 69502.3, subd. (a) DIETHANOLAMI ETHYLENEGLYC IMIDAZOLE (CA SULFUR DIOXIE	State of Californ to www.P65War tion 65 - CRT: Lis NE (CAS 111-42-2) tion 65 - CRT: Lis OLMONOMETHYL I DE (CAS 7446-09-5) tion 65 - CRT: Lis OLMONOMETHYL I NGIDIAL Chemical D) NE (CAS 111-42-2) OLMONOMETHYL I S 288-32-4) DE (CAS 7446-09-5) Inventory Australian In	ia to cause birth nings.ca.gov. sted date/Carco sted date/Devo ETHER (CAS sted date/Malo ETHER (CAS Is List. Safer Co ETHER (CAS 109) ETHER (CAS 109	Einogenic substar Listed: June 22 elopmental toxin Listed: January Listed: July 29, e reproductive to Listed: January onsumer Product	nce , 2012 1, 1989 2011 xin 1, 1989 ts Regulations (Cal. Cod	e information go

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	March-18-2015
Revision date	November-21-2018
Version #	03
Disclaimer	GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.