

**Revision number:** 1 Revision date: 07/06/2018

## **1. IDENTIFICATION**

Product name: Product code:

[HNOC]

Product use: **Restrictions on use:** 

Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

	+1- 503-286-7624
2. HAZARD(S) IDENTIFICATION	
OSHA Haz Com: CFR 1910.1200: WHMIS 2015:	Eye Damage/Irritation [Category 1] Flammable Liquids [Category 4] Corrosive to Metals [Category 1] Skin Corrosion/Irritation [Category 1C]
Signal word:	Danger!
Hazard Statement(s):	Combustible liquid May be corrosive to metals Causes severe skin burns and eye damage
Pictogram(s) or Symbol(s):	
Precautionary Statement(s):	
[Prevention]	Keep away from flames and hot surfaces. – No smoking. Keep only in original container. Do not breathe dusts or mists. Wash hands and face thoroughly after handling. Wear protective gloves, protective clothing, face protection.
[Response]	If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. In case of fire: Use dry chemical, dry sand or foam to extinguish. Absorb spillage to prevent material damage.
[Storage]	Store in corrosive resistant bottle or metal container with a resistant inner liner. Store in a well-ventilated place. Keep cool. Store locked up.
[Disposal]	Dispose of contents and container in accordance with local, regional, national regulations (e.g. US: 40 CFR Part 261, EU:91/156/EEC, JP: Waste Disposal and Cleaning Act, etc.).
Hazards not otherwise classified:	Lachrymator

n-Octanoyl Chloride O0039

For laboratory research purposes. Not for drug or household use.

**TCI AMERICA** 

SAFETY DATA SHEET

Emergency telephone number: Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) Responsible department: TCI America Environmental Health Safety and Security +1-503-286-7624

#### **TCI AMERICA**

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Substance
Components:	n-Octanoyl Chloride
Percent:	>99.0%(GC)
CAS RN:	111-64-8
Molecular Weight:	162.66
Chemical Formula:	C8H15CIO

## 4. FIRST-AID MEASURES

Description of first aid measures			
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a		
Skin contact:	POISON CENTER or doctor/physician. Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/physician. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER or doctor/physician. Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.		
Eye contact:			
Ingestion:			
Symptoms/effects:			
Acute:	Pain. Redness.		
Delayed:	No data available		
Indication of any immediate medical atte	ention:		
Not available.			
Notes to physician: No data available			
5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media:	Dry chemical, carbon dioxide.		
Unsuitable extinguishing media:	Water		
Specific hazards arising from the chemical:	Take care as it may decompose upon combustion or in high temperatures to generate poisonous fume		
Hazardous combustion products:	These products include: Carbon oxides Halogenated compounds		
Other specific hazards:	WARNING: Highly toxic HCI gas is produced during combustion.		
Advice for firefighters:	Wear self-contained breathing apparatus if possible.		
6. ACCIDENTAL RELEASE MEASU	RES		
Personal precautions, protective	Use personal protective equipment. Keep people away from and upwind of spill/leak. Ensure adequate		
equipment and emergency procedures:	ventilation. Entry to non-involved personnel should be controlled around the leakage area by roping off etc.		
Environmental precautions:	Prevent product from entering drains.		
Methods and materials for containment	Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large		
and cleaning up:	amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly		
Descention of a second second second	disposed of, in accordance with appropriate laws and regulations.		
Prevention of secondary hazards:	Do not allow contact with water. Remove all sources of ignition. Fire-extinguishing devices should be prepared in case of a fire. Use spark-proof tools and explosion-proof equipment.		
7. HANDLING AND STORAGE			
P. HANDLING AND STORAGE			
Precautions for safe handling:	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent		

Precautions for safe handling:	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from flames and hot surfaces. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. May develop pressure. Open carefully. Use corrosive resistant equipment.				
Conditions for safe storage, including any incompatibilities					
Storage conditions:	Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Moisture-sensitive				
Packaging material:	Comply with laws. Keep only in original container.				

**TCI AMERICA** 

#### Page 3 of 5

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Appropriate engineering controls:	Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust. Also install safety shower and eye bath.
Personal protective equipment	
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Colour: Odour: Odor threshold: Odour threshold:	Liquid Clear Colorless - Very pale yellov No data available No data available No data available	v	
Melting point/freezing point: Boiling point/range: Decomposition temperature: Relative density: Kinematic viscosity: Log Pow:	-63°C (-81°F) 195°C (383°F) No data available 0.95 No data available No data available	pH: Vapour pressure: Vapour density: Dynamic Viscosity: Evaporation rate(Butyl Acetate=1):	No data available No data available. No data available No data available No data available
Flash point: Flammability(solid, gas):	85°C (185°F) No data available	Autoignition temperature: Flammability or explosive limits: Lower: Upper:	No data available No data available No data available
Solubility(ies): [Water] [Other solvents] Soluble:	No data available Acetone		
10. STABILITY AND REACTIVITY			

#### Reactivity: Chemical stability: Possibility of hazardous reactions: Conditions to avoid:

Hazardous decomposition products:

Incompatible materials:

No data available Stable under proper conditions. Decomposes in contact with water and liberates toxic gases. Open flame, Moisture Oxidizing agents Carbon dioxide, Carbon monoxide, Hydrogen chloride

# 11. TOXICOLOGICAL INFORMATION

#### RTECS Number: RH1570000

RIECS Number: RH1570000				
Acute Toxicity: No data available				
Skin corrosion/irritation: No data available				
Serious eye damage/irritation: No data available				
Respiratory or skin sensitization: No data available				
Germ cell mutagenicity: mmo-sat 666 ug/plate (-S9)				
<b>Carcinogenicity:</b> No data available				
IARC: No data available	NTP:	No data available	OSHA:	No data available
Reproductive toxicity: No data available				
Target organ(s):	No data available			
12. ECOLOGICAL INFORMATION	J			
Ecotoxicity:	No dete evelleble			
Fish:	No data available			
Crustacea: Algae:	No data available No data available			
Persistence / degradability: Bioaccumulative potential(BCF): Mobility in soil	No data available No data available			
Log Pow:	No data available			
Soil adsorption (Koc):	No data available			
Henry's Law (PaM <sup>3</sup> /mol):	No data available			
13. DISPOSAL CONSIDERATION	<u></u>			
Disposal of product:		s if possible. It is the genera	ator's responsibility to	comply with Federal, State and
				aterial with a combustible solvent
				d scrubber system. This section is
	intended to provide	e assistance but does not r	eplace these laws, no	r does compliance in accordance
		nsure regulatory complianc		
				Parts 261. The product should not
Disposal of container:		r the environment, drains, v		l.
			COUV COULDERS	

Disposal of container: Other considerations:

Dispose of as unused product. Do not re-use empty containers. Observe all federal, state and local regulations when disposing of the substance. 14. TRANSPORT INFORMATION

<u>DOT (US)</u> UN number: UN3265	<b>Proper Shipping Name:</b> Corrosive liquid, acidic, organic, n.o.s	Class or Division: 8 Corrosive material	Packing Group:
IATA UN number: UN3265	<b>Proper Shipping Name:</b> Corrosive liquid, acidic, organic, n.o.s	Class or Division: 8 Corrosive material	Packing Group:
IMDG UN UN3265 numb er:	<b>Proper Shipping Name:</b> Corrosive liquid, acidic, organic, n.o.s	Class or Division: 8 Corrosive material	Packing Group: III
EmS number:	F-A, S-B		

#### 15. REGULATORY INFORMATION

### Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regu	lations			
CERCLA Hazardo	ous substanc	e and Reportable Quantity:		
SARA 313:		Not Listed		
SARA 302:		Not Listed		
State Regulations	6			
State Right-to-Kn	ow			
Massachuse	ts	Listed		
New Jersey		Listed		
Pennsylvania	1	Listed		
California Propos	sition 65:	Not Listed		
Other Information	<u>1</u>			
NFPA Rating:	_		HMIS Classification:	
Health:	3		Health:	3
Flammability:	2		Flammability:	2
Instability:	0		Physical:	0
International Inve	entories			
Canada: DSL		On DSL		
EC-No:		203-891-6		

## 16. OTHER INFORMATION

#### Revision date: 07/06/2018

#### Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.