

SAFETY DATA SHEET

1. Identification

Product identifier LITHIUM PERCHLORATE, ANHYDROUS REAGENT (ACS)

Other means of identification

Product code 221

CAS number 7791-03-9

Synonyms Perchloric acid, lithium salt

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameAddress
800 Kaderly Drive
Columbus, OH 43228

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Websitewww.gfschemicals.comE-mailservice@gfschemicals.com

Emergency phone Emergency Assistance

number

2. Hazard(s) identification

Physical hazardsOxidizing solidsCategory 2Health hazardsSkin corrosion/irritationCategory 2

Serious eye damage/eye irritation Category 2A

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Chemtrec 800-424-9300

Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May intensify fire; oxidizer. Causes skin irritation. Causes serious eye irritation. May cause

 $respiratory\ irritation.\ Causes\ damage\ to\ organs\ through\ prolonged\ or\ repeated\ exposure.$

Precautionary statement

Prevention Wash thoroughly after handling. Keep away from heat. Keep/Store away from clothing and other

combustible materials. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective

gloves/eye protection/face protection.

Response IF ON SKIN: Wash with plenty of soap and water. If inhaled: Remove person to fresh air and keep

comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or

doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before

reuse. In case of fire: Use water to extinguish.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store away from

combustibles.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Material name: LITHIUM PERCHLORATE, ANHYDROUS REAGENT (ACS)

221 Version #: 02 Revision date: March-19-2019 Issue date: August-01-2014 1 / 8

Hazard(s) not otherwise classified (HNOC)

Supplemental information

None known.

None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
LITHIUM PERCHLORATE	Perchloric acid, lithium salt	7791-03-9	100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

center or doctor/physician if you feel unwell.

Skin contact If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before

removing clothes. Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information Take off all contaminated clothing immediately. Contact with combustible material may cause fire.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash

contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

media

Water.

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Greatly increases the burning rate of combustible materials. Containers may explode when heated.

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

Specific methods General fire hazards Cool containers exposed to flames with water until well after the fire is out. May intensify fire; oxidizer. Contact with combustible material may cause fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak, Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: LITHIUM PERCHLORATE, ANHYDROUS REAGENT (ACS) 221 Version #: 02 2/8 Methods and materials for containment and cleaning up

Stop leak if you can do so without risk. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Prevent entry into waterways, sewers, basements or confined areas. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Minimize dust generation and accumulation. Avoid the generation of dusts during clean-up. Wear appropriate protective equipment and clothing during clean-up. Sweep up or gather material and place in appropriate container for disposal. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Take any precaution to avoid mixing with combustibles. Keep away from clothing and other combustible materials. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Biological limit values

Appropriate engineering

controls

This substance has no PEL, TLV, or other recommended exposure limit.

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety

shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Frequent change is advisable.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Wear respirator if there is

dust formation. This material does not have established exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Do not breathe dust. Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Granules and powder.

Physical state Solid.
Form Solid.
Color White.

Odor Odorless.

Odor threshold Not available.

PH Not available.

Melting point/freezing point 456.8 °F (236 °C)

Initial boiling point and Not available.

boiling range Flash point

Flash point Not available.

Evaporation rate Not available.

221 Version #: 02 Revision date: March-19-2019 Issue date: August-01-2014 3 / 8

Material name: LITHIUM PERCHLORATE, ANHYDROUS REAGENT (ACS)

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure Not available. Vapor density Not available. **Relative density** Not available.

Solubility(ies)

Solubility (water) Very Soluble **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

482 °F (250 °C) estimated **Decomposition temperature**

Viscosity Not available.

Other information

2.43 g/cm3 **Density Explosive properties** Not explosive.

Molecular formula LiClO4

Molecular weight 106.39 g/mol

May intensify fire; oxidizer. **Oxidizing properties** pH in aqueous solution 6 - 7.5 (5% aqueous solution)

Specific gravity

10. Stability and reactivity

Reactivity Greatly increases the burning rate of combustible materials.

Chemical stability Material is stable under normal conditions. Decomposes on heating.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the decomposition temperature. Contact with incompatible materials.

Incompatible materials Combustible material. Reducing agents. Flammable materials

Hazardous decomposition

products

Hydrogen chloride.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.

Information on toxicological effects

Not known **Acute toxicity**

Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Material name: LITHIUM PERCHLORATE, ANHYDROUS REAGENT (ACS) 221 Version #: 02 4/8 **Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

May cause respiratory irritation.

Specific target organ toxicity

- repeated exposure

Causes damage to organs through prolonged or repeated exposure. The perchlorate ion competes with iodide in the mechanism that governs uptake into the thyroid gland for growth hormone production. This effect is routinely countered by ensuring sufficient dietary intake of iodine, as perchlorate does not accumulate in the body. Studies on workers in plants where perchlorates are manufactured have shown no thyroid abnormalities; various clinical studies are ongoing. Perchlorates occur naturally in trace amounts in the environment, and are not classified as carcinogenic.

Aspiration hazard Not an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulative potentialNo data available. **Mobility in soil**No data available.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. If discarded, this

product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance

with local/regional/national/international regulations.

Local disposal regulationsDispose in accordance with all applicable regulations. **Hazardous waste code**Dispose in accordance with all applicable regulations.

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1481

UN proper shipping name Perchlorates, inorganic, n.o.s.

Transport hazard class(es)

Class 5.1
Subsidiary risk Label(s) 5.1
Packing group II

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB6, IP2, T3, TP33

Packaging exceptions152Packaging non bulk212Packaging bulk242

Material name: LITHIUM PERCHLORATE, ANHYDROUS REAGENT (ACS)

221 Version #: 02 Revision date: March-19-2019 Issue date: August-01-2014 5 / 8

IATA

UN number UN1481

UN proper shipping name Perchlorates, inorganic, n.o.s.

Transport hazard class(es)

Class 5.1
Subsidiary risk Packing group II
Environmental hazards No.
ERG Code 5L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1481

UN proper shipping name PERCHLORATES, INORGANIC, N.O.S.

Transport hazard class(es)

Class 5.1
Subsidiary risk Packing group II
Environmental hazards

Marine pollutant No. EmS F-H, S-Q

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



15. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

Toxic Substances Control This substance is on the TSCA 8(b) inventory and is designated "active".

Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Material name: LITHIUM PERCHLORATE, ANHYDROUS REAGENT (ACS)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

Hazardous chemical

Classified hazard Oxidizer (liquid, solid, or gas) categories Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

16. Other information, including date of preparation or last revision

Issue date August-01-2014 **Revision date** March-19-2019

Version # 02

221 Version #: 02 7/8

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Material name: LITHIUM PERCHLORATE, ANHYDROUS REAGENT (ACS)

Disclaimer

GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.