antibodies

Anti-SERBP1 Antibody [SERBP1/3495] (A248686)

Specifications:

Anti-SERBP1 Antibody [SERBP1/3495]
Mouse monoclonal [SERBP1/3495] antibody to SERBP1.
SERBP1 is a membrane-associated protein that localizes to the nucleus, the perinuclear region of the cytoplasm and the plasma membrane. It is believed to play a role in the regulation of mRNA stability, as it specifically binds to the CRS (cyclic nucleotide-responsive sequence) motif of the PAI-1 mRNA and acts to stabilize the mRNA and regulate its expression. In addition, SERBP1 interacts with Mi2-s antiapoptotic action in ovarian cell types. SERBP1 is overexpressed in ovarian cancer, suggesting a possible role in tumorigenesis and tumor metastasis.
WB, IHC-P
WB: 1-2 μg/ml, IHC-P: 1-2 μg/ml
Human
Recombinant fragment, around amino acids 3-139, of human SERBP1 protein. The exact sequence is proprietary.
Mouse
Monoclonal
SERBP1/3495
lgG2b
kappa
Unconjugated
Protein A/G chromatography.
200 μg/ml
Liquid
Supplied in 10mM Phosphate Buffered Saline with 0.05% BSA and 0.05% Sodium Azide.
Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
This monoclonal antibody is also available in a different formulation without BSA and Sodium Azide - Anti-SERBP1 Antibody [SERBP1/3495] - BSA and Azide free (A251868).
This product is for research use only. It is not intended for diagnostic or therapeutic use.


antibodies

Anti-SERBP1 Antibody [SERBP1/3495] (A248686)


Images:



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human urothelial carcinoma using Anti-SERBP1 Antibody [SERBP1/3495].



Immunohistochemical analysis of formalin-fixed, paraffin-embedded human urothelial carcinoma using Anti-SERBP1 Antibody [SERBP1/3495].



SDS-PAGE analysis of Anti-SERBP1 Antibody [SERBP1/3495] under non-reduced and reduced conditions; showing intact IgG and intact heavy and light chains, respectively. SDS-PAGE analysis confirms the integrity and purity of the antibody.



Analysis of protein array containing more than 19,000 full-length human proteins using Anti-SERBP1 Antibody [SERBP1/3495]. Z-Score and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target; a MAb is considered to be specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.