

SAFETY DATA SHEET

1. Identification

Product identifier CERIC SULFATE, SOLUTION, 0.1 N

Other means of identification

Product code 26

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name GFS Chemicals, Inc. **Address** P.O. Box 245

Powell OH 43065 US

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

Emergency phone service@grschemicals.com
Emergency Assistance

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Chemtrec 800-424-9300

OSHA hazard(s) Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

Precautionary statement

Prevention Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Wear protective

gloves. Wear eye/face protection.

Response IF ON SKIN: Wash with plenty of soap and water. If inhaled: Remove person to fresh air and keep

comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical

advice/attention. If eye irritation persists: Get medical advice/attention.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

DisposalNot available. **(s) not otherwise**Not classified.

Hazard(s) not otherwise

classified (HNOC)

3. Composition/information on ingredients

Mixtures

Hazardous components

Chemical name	CAS number	
CERIC SULFATE	17106-39-7	5 - < 10
SULFURIC ACID	7664-93-9	5 - < 10

Material name: CERIC SULFATE, SOLUTION, 0.1 N

26 Version #: 01 Revision date: Issue date: September-26-2013 1 / 8

CAS number 7732-18-5

% 80 - < 90

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing. Wash off with soap and plenty of water. If skin irritation occurs:

Get medical advice/attention.

Eve contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Most important

WATER

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

Irritation of eyes and mucous membranes. Irritant effects.

Provide general supportive measures and treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Wash

Do not use water jet as an extinguisher, as this will spread the fire.

contaminated clothing before reuse.

or equivalent) and full protective gear.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

In the event of fire oxides of sulfur may be formed.

Special protective equipment

and precautions for

firefighters

Fire-fighting equipment/instructions

Use extinguishing agent suitable for type of surrounding fire.

Move containers from fire area if you can do it without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Ensure adequate ventilation. Wear appropriate personal protective

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved

equipment.

Methods and materials for containment and cleaning up

Should not be released into the environment. This product is miscible in water. Prevent entry into waterways, sewers, basements or confined areas.

Large Spills: Stop leak if you can do so without risk. Prevent entry into waterways, sewer, basements or confined areas. Dike the spilled material, where this is possible. Neutralize spilled material with crushed limestone, soda ash or lime. Flush into sewer with plenty of water. Clean contaminated surface thoroughly. Clean up in accordance with all applicable regulations.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Wash hands thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep out of the reach of children. Store in a cool, dry place out of direct sunlight.

Material name: CERIC SULFATE, SOLUTION, 0.1 N SDS US 2/8

26 Version #: 01 Revision date: Issue date: September-26-2013

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components **Value Type** SULFURIC ACID (CAS **PEL** 1 mg/m3

7664-93-9)

US. ACGIH Threshold Limit Values

Value Form Components Type SULFURIC ACID (CAS TWA 0.2 ma/m3 Thoracic fraction.

7664-93-9)

US. NIOSH: Pocket Guide to Chemical Hazards

Value Components Type SULFURIC ACID (CAS TWA 1 mg/m3

7664-93-9)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eve wash and safety shower must be available in the immediate work area.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles are recommended.

Skin protection

Hand protection Wear protective gloves.

Other Wear appropriate chemical resistant clothing. Wear protective gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. None required where

adequate ventilation conditions exist.

Thermal hazards Not available.

General hygiene considerations

Avoid contact with eyes. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Keep away from food and drink. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance Clear. **Physical state** Liquid.

Form Aqueous solution. Color Yellow-orange. Odor Odorless.

pН < 1

< 32 °F (< 0 °C) Melting point/freezing point Initial boiling point and

boiling range

Odor threshold

> 212 °F (> 100 °C)

Not available.

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor density Not available. **Relative density** Not available.

Material name: CERIC SULFATE, SOLUTION, 0.1 N SDS US 26 Version #: 01 Revision date: Issue date: September-26-2013 3/8

Solubility(ies) Completely miscible

Partition coefficient

(n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 1.13 g/cm3 Molecular formula H4Ce(SO4)4 Molecular weight 528.43 Specific gravity 1.132

10. Stability and reactivity

Reactivity Not available.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Reacts violently with strong alkaline substances. This product may react with reducing agents. Do

not mix with other chemicals.

Incompatible materials Incompatible with bases. This product may react with reducing agents. Contact with metals may

evolve flammable hydrogen gas.

Hazardous decomposition

products

May include oxides of sulphur.

11. Toxicological information

Information on likely routes of exposure

Ingestion Based on available data, the classification criteria are not met.

Inhalation May cause irritation to the respiratory system.

Skin contact Not available.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Irritant effects.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
CERIC SULFATE, SOLUTI	ON, 0.1 N (CAS Mixture)	
Acute		
Inhalation		
LC50	Guinea pig	0.32 mg/l
		0.24 mg/l, 8 Hours, estimated
	Rat	4626.6665 mg/l, 1 Hours, estimated
Components	Species	Test Results

SULFURIC ACID (CAS 7664-93-9)

Acute Inhalation

LC50 Guinea pig 0.03 mg/l, 8 Hours 0.018 mg/l, 8 Hours 347 mg/l, 1 Hours

Rat

Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization Due to lack of data the classification is not possible. Skin sensitization Due to lack of data the classification is not possible.

Material name: CERIC SULFATE, SOLUTION, 0.1 N SDS US 26 Version #: 01 Revision date: Issue date: September-26-2013 4/8

^{*} Estimates for product may be based on additional component data not shown.

Germ cell mutagenicity Due to lack of data the classification is not possible.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity Due to lack of data the classification is not possible.

Specific target organ toxicity

- single exposure

Respiratory tract irritation.

Specific target organ toxicity

- repeated exposure

Not applicable.

Aspiration hazard Due to lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

Components of this product are hazardous to aquatic life. Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and

aquatic systems.

Product		Species	Test Results				
CERIC SULFATE, SOLUTION, 0.1 N (CAS Mixture)							
Crustacea	LC50	Daphnia	1808 mg/l, 48 Hours				
Fish	LC50	Fish	1713 mg/l, 48 Hours				
			560 mg/l, 24 Hours				
			560 mg/l, 96 Hours				
Components		Species	Test Results				
SULFURIC ACID (CAS 7664-93-9)							
Crustacea	LC50	Green or Europeon shore crab (Carcinus maenas)	70 - 80 mg/l, 48 hours				
Aquatic							
Crustacea	LC50	Aesop shrimp (Pandalus montagui)	42.5 mg/l, 48 hours				
		Cockle (Cerastoderma edule)	200 - 500 mg/l, 48 hours				
		Common shrimp, sand shrimp (Crangon crangon)	70 - 80 mg/l, 48 hours				
Fish	LC50	Starry, european flounder (Platichthys flesus)	100 - 330 mg/l, 48 hours				
		Western mosquitofish (Gambusia affinis)	42 mg/l, 24 hours				
			42 mg/l, 48 hours				
			42 mg/l, 96 hours				

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNot available.Mobility in soilNot available.Other adverse effectsNot available.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this

material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Neutralize with soda ash/slaked lime and discharge to sewer with lots of water. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Hazardous waste code

Not available.

D002: Waste Corrosive material [pH \leq 2 or =>12.5, or corrosive to steel]

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

Material name: CERIC SULFATE, SOLUTION, 0.1 N

26 Version #: 01 Revision date: Issue date: September-26-2013 5 / 8

14. Transport information

DOT

UN number UN2796

UN proper shipping name Sulfuric acid with not more than 51% acid

Transport hazard class(es) 8

Not available. Subsidary class(es)

Packing group

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Labels required 8

Special provisions A3, A7, B2, B15, IB2, N6, N34, T8, TP2, TP12

Packaging exceptions Packaging non bulk 202 **Packaging bulk** 242

IATA

UN number UN2796

UN proper shipping name Sulphuric acid with 51% or less acid

Transport hazard class(es) 8 Subsidary class(es) **Packaging group** TT **Environmental hazards** Nο

Labels required Not available.

ERG Code 8L

Special precautions for Not available.

user

IMDG

UN number UN2796

UN proper shipping name SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID

Transport hazard class(es) 8 Subsidary class(es) **Packaging group** ΙΙ **Environmental hazards**

Marine pollutant

No Labels required Not available.

EmS F-A, S-B Special precautions for Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

Material name: CERIC SULFATE, SOLUTION, 0.1 N SDS US 26 Version #: 01 Revision date: Issue date: September-26-2013 6/8

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

CERCLA Hazardous Substance List (40 CFR 302.4)

SULFURIC ACID (CAS 7664-93-9) **LISTED**

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 No

Hazardous chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

SULFURIC ACID (CAS 7664-93-9)

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

SULFURIC ACID (CAS 7664-93-9) 20 % weight/volumn

DEA Exempt Chemical Mixtures Code Number

SULFURIC ACID (CAS 7664-93-9) 6552

Food and Drug Not regulated.

Administration (FDA)

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. Massachusetts RTK - Substance List

SULFURIC ACID (CAS 7664-93-9)

US. New Jersey Worker and Community Right-to-Know Act

SULFURIC ACID (CAS 7664-93-9) 500 lbs

US. Pennsylvania RTK - Hazardous Substances

SULFURIC ACID (CAS 7664-93-9)

US. Rhode Island RTK

SULFURIC ACID (CAS 7664-93-9)

US. California Proposition 65

Not listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No

SDS US 26

Country(s) or region **Inventory name** On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date September-26-2013

Version # 01

Further information Not available.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

> available. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

Revision Information Product and Company Identification: Product Codes

> Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

SDS US 26 8/8

Material name: CERIC SULFATE, SOLUTION, 0.1 N

Version #: 01 Revision date: Issue date: September-26-2013