

Revision number: 1 Revision date: 07/06/2018

## 1. IDENTIFICATION

Product name: Product code:

Product use: Restrictions on use:

Company: TCI America 9211 N. Harborgate Street Portland, OR 97203 U.S.A. Telephone: +1-800-423-8616 / +1-503-283-1681 Fax: +1-888-520-1075 / +1-503-283-1987 e-mail: sales-US@TCIchemicals.com www.TCIchemicals.com

**TCI AMERICA** 

SAFETY DATA SHEET

Tetrahydroxy-1,4-benzoquinone Disodium Salt T0122

For laboratory research purposes. Not for drug or household use.

# Emergency telephone number:

Chemical Emergencies: TCI America (8:00am - 5:00pm) PST +1-503-286-7624 Transportation Emergencies: Chemtrec 24-Hour +1-800-424-9300 (U.S.A.) +1-703-527-3887 (International) **Responsible department:** TCI America Environmental Health Safety and Security +1- 503-286-7624

### 2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: WHMIS 2015:	Not classifiable
Signal word:	None
Hazard Statement(s):	None
Pictogram(s) or Symbol(s):	None
Precautionary Statement(s):	None
Hazards not otherwise classified: [HNOC]	None.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture: Components:	Substance Tetrahydroxy-1,4-benzoquinone Disodium Salt
Percent: CAS RN:	 1887-02-1
Molecular Weight:	216.06
Chemical Formula:	C6H2Na2O6
Synonyms:	Tetrahydroxyquinone Disodium Salt

4. FIRST-AID MEASURES

Page	2	of	5
------	---	----	---

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical
advice/attention if you feel unwell.
Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Get medical advice/attention if you feel unwell. Rinse mouth.
No data available
No data available
ention:
Dry chemical, foam, water spray, carbon dioxide.
These products include: Carbon oxides Metallic oxides
Closed containers may explode from heat of a fire.
Wear self-contained breathing apparatus if possible.
RES
Use personal protective equipment. Keep people away from and upwind of spill/leak. Entry to
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated.
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing.
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. ny incompatibilities
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store away from incompatible materials such as oxidizing agents.
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place.
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store away from incompatible materials such as oxidizing agents. Comply with laws.
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store away from incompatible materials such as oxidizing agents.
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store away from incompatible materials such as oxidizing agents. Comply with laws.
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store away from incompatible materials such as oxidizing agents. Comply with laws. DNAL PROTECTION Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store away from incompatible materials such as oxidizing agents. Comply with laws. DNAL PROTECTION Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store away from incompatible materials such as oxidizing agents. Comply with laws. <b>DNAL PROTECTION</b> Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Dust respirator. Follow local and national regulations. Protective gloves.
non-involved personnel should be controlled around the leakage area by roping off, etc. Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations. Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling. Use a local exhaust if dust or aerosol will be generated. Avoid contact with skin, eyes and clothing. <b>ny incompatibilities</b> Keep container tightly closed. Store in a cool and dark place. Store away from incompatible materials such as oxidizing agents. Comply with laws. <b>DNAL PROTECTION</b> Follow safe industrial engineering/laboratory practices when handling any chemical. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Dust respirator. Follow local and national regulations.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Form: Colour: Odour: Odor threshold: Odour threshold:	Solid Crystal - Powder Yellow green - Deep greer No data available No data available No data available	1	
Melting point/freezing point:	No data available	pH:	No data available
Boiling point/range:	No data available	Vapour pressure:	No data available.
Decomposition temperature:	No data available	Vapour density:	No data available
Relative density: Kinematic viscosity:	No data available No data available	Dynamic Viscosity:	No data available
Log Pow:	No data available	Evaporation rate(Butyl Acetate=1):	No data available
Flash point: Flammability(solid, gas):	No data available No data available	Autoignition temperature: Flammability or explosive limits:	No data available
		Lower:	No data available
		Upper:	No data available
Solubility(ies):			
[Water]	No data available		
[Other solvents]	No data available		
10. STABILITY AND REACT	IVITY		
Reactivity: Chemical stability: Possibility of hazardous reactio Incompatible materials: Hazardous decomposition prod	Oxidizing agents	een reported.	

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available

Skin corrosion/irritation: No data available

Serious eye damage/irritation: No data available

**Respiratory or skin sensitization:** No data available

Germ cell mutagenicity: No data available

Carcinogenicity: No data available

IARC: No data available

Reproductive toxicity: No data available

Target organ(s):

No data available

NTP:

No data available

OSHA:

No data available

# 12. ECOLOGICAL INFORMATION

Ecotoxicity:	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
Persistence / degradability:	No data available
Bioaccumulative potential(BCF): Mobility in soil	No data available
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available
13. DISPOSAL CONSIDERATIONS Disposal of product:	Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and
	Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is
	intended to provide assistance but does not replace these laws, nor does compliance in accordance
	with this section ensure regulatory compliance according to the law. US EPA guidelines for
	Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not
	be allowed to enter the environment, drains, water ways, or the soil.
Disposal of container:	Dispose of as unused product.
Other considerations:	Observe all federal, state and local regulations when disposing of the substance.
14. TRANSPORT INFORMATION	

0

0 0

DOT (US)	Non-hazardous for transportation.
IATA_	Non-hazardous for transportation.
IMDG	Non-hazardous for transportation.

# 15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.): This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regu	lations		
<b>CERCLA Hazardo</b>	ous substan	e and Reportable Quantity:	
SARA 313:		Not Listed	
SARA 302:		Not Listed	
State Regulations	<u>8</u>		
State Right-to-Kn	ow		
Massachuset	ts	Not Listed	
New Jersey		Not Listed	
Pennsylvania	1	Not Listed	
California Propos	sition 65:	Not Listed	
Other Information	<u>1</u>		
NFPA Rating:		HMIS Classificat	ion:
Health:	0	Health:	
Flammability:	0	Flammability:	
Instability:	0	Physical:	
International Inve	entories		
Canada: NDSL EC-No:		On NDSL 217-557-2	

### 16. OTHER INFORMATION

#### Revision date: 07/06/2018 Revision number: 1

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.