

# SAFETY DATA SHEET

### 1. Identification

Product identifier 2-BUTYNE, 98%

Other means of identification

Product code 3030

Synonyms DIMETHYL ACETYLENE

**Recommended use** professional, scientific and technical activities: other professional, scientific and technical activities

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

Company nameGFS Chemicals, Inc.AddressP.O. Box 245Powell, OH 43065

United States

**Telephone** Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

Emergency phone service@grschemicals.com
Emergency Assistance

number

Emergency Assistance Chemtrec 800-424-9300

# 2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 1Health hazardsSkin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

**Environmental hazards**Not classified. **OSHA defined hazards**Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** Extremely flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May

cause respiratory irritation.

**Precautionary statement** 

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection/face protection. Wash

thoroughly after handling.

**Response** If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Call a

POISON CENTER or doctor/physician if you feel unwell.

**Storage** Handle under inert gas. Store in a well-ventilated place. Keep container tightly closed. Store in a

well-ventilated place. Keep cool. Store locked up.

**Disposal** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

Material name: 2-BUTYNE, 98%

classified (HNOC)

None known.

**Supplemental information** None.

3030 Version #: 01 Revision date: Issue date: July-23-2015 1 / 7

## 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	<b>CAS</b> number	%
2-BUTYNE	DIMETHYL ACETYLENE	503-17-3	100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation Skin contact

occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if **Eve contact** 

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention immediately. Get medical attention if symptoms occur.

**Most important** 

symptoms/effects, acute and

delaved

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

May cause respiratory irritation. Skin irritation. May cause redness and pain.

**Indication of immediate** medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation.

Symptoms may be delayed.

**General information** Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the

label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media

**Unsuitable extinguishing** media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source

Special protective equipment and precautions for

firefighters

of ignition and flash back. None known. During fire, gases hazardous to health may be formed. Wear SCBA. Self-contained breathing apparatus and full protective clothing must be worn in case of

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

Fire fighting

equipment/instructions

so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

**Specific methods** 

General fire hazards Extremely flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

3030 Version #: 01 Revision date: Issue date: July-23-2015 2/7

Material name: 2-BUTYNE, 98%

### Methods and materials for containment and cleaning up

Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. The product is immiscible with water and will spread on the water surface. Prevent entry into waterways, sewers, basements or confined areas.

Large Spills: Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. This material and its container must be disposed of as hazardous waste. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

**Precautions for safe handling** 

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Material should be stored under an inert atmosphere. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). Keep refrigerated.

### 8. Exposure controls/personal protection

**Occupational exposure limits** 

**Biological limit values** 

**Appropriate engineering** controls

No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s).

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

Eye/face protection

Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. Rubber gloves.

Other

Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment. Chemical respirator with

organic vapor cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** Clear. **Physical state** Liquid. Liquid. **Form** Color Colorless. Not available. Odor **Odor threshold** Not available. pН Not available. Melting point/freezing point -25.6 °F (-32 °C)

Material name: 2-BUTYNE, 98%

3030 Version #: 01 Revision date: Issue date: July-23-2015 3/7 Initial boiling point and

boiling range

80.6 °F (27 °C)

Flash point

-29.2 °F (-34.0 °C)

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower > 1.4 %

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

94.13 kPa at 25 °C Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Insoluble **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

**Density** 0.691 g/cm3

Flammability class Flammable IA estimated

Flash point class Flammable IA

**Molecular formula** C4H6

54.09 g/mol Molecular weight Specific gravity 0.69

### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. None known. Avoid temperatures

exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Halogens. Chlorinated solvents. Heat and sources of ignition.

Causes serious eye irritation.

Hazardous decomposition

products

No hazardous decomposition products are known.

### 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** May cause irritation to the respiratory system.

Skin contact Causes skin irritation.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

**Acute toxicity** May cause respiratory irritation.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Material name: 2-BUTYNE, 98%

3030 Version #: 01 Revision date: Issue date: July-23-2015 4/7 Respiratory or skin sensitization

**Respiratory sensitization** Not available. Skin sensitization None known.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

US. National Toxicology Program (NTP) Report on Carcinogens

Not available

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

May cause respiratory irritation.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not available.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability None known. **Bioaccumulative potential** No data available. No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

**UN** number UN1144 **UN** proper shipping name Crotonylene

Transport hazard class(es)

Clace 3 **Subsidiary risk** 3 Label(s) Packing group

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Special provisions T11, TP2 **Packaging exceptions** 150 Packaging non bulk 201 **Packaging bulk** 243

**IATA** 

**UN** number UN1144 **UN proper shipping name** Crotonylene

Transport hazard class(es)

Class 3 Subsidiary risk **Packing group** Ι

Material name: 2-BUTYNE, 98%

Issue date: July-23-2015 3030 Version #: 01 Revision date: 5/7 **Environmental hazards** No. **ERG Code** 3H

**Special precautions for** 

user

Read safety instructions, SDS and emergency procedures before handling.

Other information Passenger and cargo

Passenger and

Allowed.

aircraft

Cargo aircraft only Allowed.

**IMDG** 

**UN number** UN1144 **UN proper shipping name** CROTONYLENE

Transport hazard class(es)

Class 3
Subsidiary risk Packing group I
Environmental hazards

Marine pollutant No. EmS F-E, S-D

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

user

**Transport in bulk according to** Not established.

Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



## 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Material name: 2-BUTYNE, 98%

3030 Version #: 01 Revision date: Issue date: July-23-2015 6 / 7

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

2-BUTYNE (CAS 503-17-3)

## **US. New Jersey Worker and Community Right-to-Know Act**

2-BUTYNE (CAS 503-17-3)

### US. Pennsylvania Worker and Community Right-to-Know Law

2-BUTYNE (CAS 503-17-3)

#### **US. Rhode Island RTK**

Not regulated.

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** July-23-2015

Version #

Disclaimer GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Product and Company Identification: Alternate Trade Names **Revision Information** 

Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

Material name: 2-BUTYNE, 98%

3030 Version #: 01 Revision date: Issue date: July-23-2015 7/7