PRODUCT INFORMATION



Bitertanol

Item No. 24054

CAS Registry No.:	55179-31-2	
Formal Name:	β-([1,1'-biphenyl]-4-yloxy)-α-(1,1-	
	dimethylethyl)-1H-1,2,4-triazole-1-ethanol	
Synonym:	Biloxazol	
MF:	C ₂₀ H ₂₃ N ₃ O ₂	0~ ~~
FW:	337.4	N ,OH
Purity:	≥98%	N N N
Supplied as:	A solid	
Storage:	-20°C	N-
Stability:	≥2 years	I
Information represents	s the product specifications. Batch specific analytical resu	ilts are provided on each certificate of analysis

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Bitertanol is supplied as a solid. A stock solution may be made by dissolving the bitertanol in the solvent of choice, which should be purged with an inert gas. Bitertanol is slightly soluble in DMSO and methanol.

Description

Bitertanol is a broad-spectrum triazole fungicide that is active against a variety of fungi, including V. inaequalis and V. pirina, which are responsible for apple and pear scab, respectively, as well as S. mors-uvae and P. ribis, which are responsible for American gooseberry mildew and leaf spot in black currants, respectively.¹ It is active against isolates of V. inaequalis (MICs = 0.6 and 1 μ g/ml) but repeated use leads to resistance and cross-resistance (MICs = 9.8-13 µg/ml for bitertanol-resistant isolates).² Bitertanol inhibits the cytochrome P450 (CYP450) isoform CYP3A4 (IC_{50} = 2.74 μ M) and inhibits and rogenic activity induced by the and rogen receptor agonist DHT (Item No. 15874) in a yeast two-hybrid assay $(IC_{50} = 79.85 \ \mu M)^3$ In rats, bitertanol (10-300 mg/kg, i.p.) increases operant responding on one- and five-minute fixed interval schedules with no effect on motor activity.⁴

References

- 1. Birch, P.A., Rose, P.W., and Wainwright, A. A broad spectrum fungicide of the triazole group for use in pome and bush fruit. Brit. Crop Prot. Conf. - Pests and Dis., Proc. 11(2), 545-554 (1981).
- 2. Hildebrand, P.D., Lockhart, C.L., Newberry, R.J., et al. Resistance of Venturia inaequalis to bitertanol and other demethylation-inhibiting fungicides. Can. J. Plant Path. 10(4), 311-316 (1988).
- 3. Lv, X., Pan, L., Wang, J., et al. Effects of triazole fungicides on androgenic disruption and CYP3A4 enzyme activity. Environ. Pollut. 222(2016), 504-512 (2017).
- 4. Allen, A.R. and MacPhail, R.C. Bitertanol, a triazole fungicide, increases operant responding but not motor activity. Neurotoxicol. Teratol. 15(4), 237-242 (1993).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 04/23/2018

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM