

SAFETY DATA SHEET

1. Identification

Product identifier CERIC AMMONIUM SULFATE, SOLUTION, 0.1 N

Other means of identification

Product code 5643

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameAddress
P.O. Box 245
Powell, OH 43065

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, inhalation Category 3

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazards Not classified. **OSHA defined hazards** Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. Toxic if inhaled. May cause respiratory irritation.

Precautionary statement

Prevention Do not breathe mist or vapor. Use only outdoors or in a well-ventilated area. Wear protective

gloves/protective clothing/eye protection/face protection.

Response IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Material name: CERIC AMMONIUM SULFATE, SOLUTION, 0.1 N

Mixtures

5643 Version #: 01 Revision date: Issue date: June-10-2015 1 / 8

Chemical name	Common name and synonyms	CAS number	%
SULFURIC ACID		7664-93-9	10 - < 20*
CERIC AMMONIUM SULFATE	AMMONIUM CERIC SULFATE AMMONIUM TETRASULFATOCERATE	10378-47-9	6
Other components below repor	table levels		70 - < 80

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a POISON CENTER or doctor/physician.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eve contact Immediately flush eyes with plenty of water for at least 15 minutes, Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed **General information**

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Skin

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

irritation. May cause redness and pain.

Powder. Foam. Carbon dioxide (CO2).

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefiahters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Specific methods General fire hazards Move containers from fire area if you can do so without risk.

During fire, gases hazardous to health may be formed.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

5643 Version #: 01 Revision date: Issue date: June-10-2015 2/8 Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

1 mg/m3

8. Exposure controls/personal protection

Occupational exposure limits

SULFURIC ACID (CAS

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value

PEL

7664-93-9)

US. ACGIH Threshold Limit Values

 Components
 Type
 Value
 Form

 SULFURIC ACID (CAS
 TWA
 0.2 mg/m3
 Thoracic fraction.

7664-93-9)

US. NIOSH: Pocket Guide to Chemical Hazards

 Components
 Type
 Value

 SULFURIC ACID (CAS
 TWA
 1 mg/m3

7664-93-9)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection If ventilation is not sufficient to effectively prevent buildup of aerosols or mists, appropriate

NIOSH/MSHA respiratory protection must be provided. Chemical respirator with acid gas cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Orange.
Odor Not available.
Odor threshold Not available.
PH Not available.

Melting point/freezing point
Initial boiling point and

boiling range

34.85 °F (1.58 °C) estimated 264.54 °F (129.19 °C) estimated

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not

(%)

Not available.

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

5643 Version #: 01 Revision date: Issue date: June-10-2015 3 / 8

Material name: CERIC AMMONIUM SULFATE, SOLUTION, 0.1 $\ensuremath{\text{N}}$

Explosive limit - upper

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density1.123 g/cm3 estimatedPercent volatile79.56 % estimatedSpecific gravity1.12 estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

InhalationToxic if inhaled.Skin contactCauses skin irritation.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Toxic if inhaled. May cause respiratory irritation.

Rat

Product Species Test Results

CERIC AMMONIUM SULFATE, SOLUTION, 0.1 N (CAS Mixture)

Acute Inhalation

LC50 Guinea pig

0.1247 mg/l, 8 Hours estimated

2403.0471 mg/l, 1 Hours estimated

Components Species Test Results

SULFURIC ACID (CAS 7664-93-9)

Acute *Inhalation*

LC50 Guinea pig

0.03 mg/l, 8 Hours 0.018 mg/l, 8 Hours

Rat 347 mg/l, 1 Hours

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation

Causes skin irritation.

Causes skin irritation.

Material name: CERIC AMMONIUM SULFATE, SOLUTION, 0.1 N

5643 Version #: 01 Revision date: Issue date: June-10-2015 4 / 8

^{*} Estimates for product may be based on additional component data not shown.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

May cause respiratory irritation.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Test Results Species

CERIC AMMONIUM SULFATE, SOLUTION, 0.1 N (CAS Mixture)

Aquatic

Fish LC50 Fish 290.8587 mg/l, 96 hours estimated

Components Species Test Results

SULFURIC ACID (CAS 7664-93-9)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) 42 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

user

UN number UN2796

UN proper shipping name Battery fluid, acid

Transport hazard class(es)

Class 8 **Subsidiary risk** 8 Label(s) Packing group II

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

Special provisions **Packaging exceptions** 154 Packaging non bulk 202

A3, A7, B2, B15, IB2, N6, N34, T8, TP2, TP12

Material name: CERIC AMMONIUM SULFATE, SOLUTION, 0.1 N

5643 Version #: 01 Revision date: Issue date: June-10-2015 5/8

^{*} Estimates for product may be based on additional component data not shown.

Packaging bulk 242

IATA

UN number UN2796

UN proper shipping name Battery fluid, acid

Transport hazard class(es)
Class 8
Subsidiary risk -

Subsidiary risk Packing group II
Environmental hazards No.
ERG Code 8L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed. aircraft
Cargo aircraft only Allowed.

IMDG

UN number UN2796

UN proper shipping name SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID

Transport hazard class(es)
Class

Class 8
Subsidiary risk Packing group II
Environmental hazards

Marine pollutant No. EmS F-A, S-B

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Transport in bulk according to Annex II of MARPOL 73/78

Annex II of MARPUL /3/

and the IBC Code

Not established.





IATA; IMDG



15. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SULFURIC ACID (CAS 7664-93-9) Listed.

SARA 304 Emergency release notification

SULFURIC ACID (CAS 7664-93-9) 1000 LBS

Material name: CERIC AMMONIUM SULFATE, SOLUTION, 0.1 N $\,$

5643 Version #: 01 Revision date: Issue date: June-10-2015 6 / 8

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable	Threshold	Threshold	Threshold
		quantity	planning quantity	planning quantity, lower	planning quantity, upper
				value	value

SULFURIC ACID 7664-93-9 1000 1000 lbs

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	% by wt.	
SULFURIC ACID	7664-93-9	10 - < 20		

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

SULFURIC ACID (CAS 7664-93-9) 655:

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

SULFURIC ACID (CAS 7664-93-9) 20 %WV

DEA Exempt Chemical Mixtures Code Number

SULFURIC ACID (CAS 7664-93-9) 6552

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

SULFURIC ACID (CAS 7664-93-9)

US. New Jersey Worker and Community Right-to-Know Act

SULFURIC ACID (CAS 7664-93-9)

US. Pennsylvania Worker and Community Right-to-Know Law

SULFURIC ACID (CAS 7664-93-9)

US. Rhode Island RTK

SULFURIC ACID (CAS 7664-93-9)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes

Material name: CERIC AMMONIUM SULFATE, SOLUTION, 0.1 N

5643 Version #: 01 Revision date: Issue date: June-10-2015 7 / 8

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date June-10-2015

Version # 01

Disclaimer GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available

Material name: CERIC AMMONIUM SULFATE, SOLUTION, 0.1 N

5643 Version #: 01 Revision date: Issue date: June-10-2015 8 / 8